

## **NETWORK ELEMENTS ATTACHMENT**

### **General**

Verizon shall provide to NEON, in accordance with this Agreement (including, but not limited to, Verizon's applicable Tariffs) and the requirements of Applicable Law, access to Verizon's Network Elements on an unbundled basis and in combinations (Combinations); provided, however, that notwithstanding any other provision of this Agreement, Verizon shall be obligated to provide unbundled Network Elements (UNEs) and Combinations to NEON only to the extent required by Applicable Law and may decline to provide UNEs or Combinations to NEON to the extent that provision of such UNEs or Combinations is not required by Applicable Law.

Verizon shall be obligated to combine UNEs that are not already combined in Verizon's network only to the extent required by Applicable Law. Except as otherwise required by Applicable Law: (a) Verizon shall be obligated to provide a UNE or Combination pursuant to this Agreement only to the extent such UNE or Combination, and the equipment and facilities necessary to provide such UNE or Combination, are available in Verizon's network; and (b) Verizon shall have no obligation to construct or deploy new facilities or equipment to offer any UNE or Combination.

NEON may use a UNE or Combination only for those purposes for which Verizon is required by Applicable Law to provide such UNE or Combination to NEON. Without limiting the foregoing, NEON may use a UNE or Combination (a) only to provide a Telecommunications Service and (b) to provide Exchange Access services only to the extent that Verizon is required by Applicable Law to provide such UNE or Combination to NEON in order to allow NEON to provide such Exchange Access services.

Notwithstanding any other provision of this Agreement:

To the extent Verizon is required by a change in Applicable Law to provide to NEON a UNE or Combination that is not offered under this Agreement to NEON as of the Effective Date, the terms, conditions and prices for such UNE or Combination (including, but not limited to, the terms and conditions defining the UNE or Combination and stating when and where the UNE or Combination will be available and how it will be used, and terms, conditions and prices for pre-ordering, ordering, provisioning, repair, maintenance and billing) shall be as provided in an applicable Verizon Tariff, or, in the absence of an applicable Verizon Tariff, as mutually agreed in writing by the Parties.

Verizon shall not be obligated to provide to NEON, and NEON shall not request from Verizon, access to a proprietary advanced intelligent network service.

Without limiting Verizon's rights pursuant to Applicable Law or any other section of this Agreement to terminate its provision of a UNE or a Combination, if Verizon provides a UNE or Combination to NEON, and the Commission, the FCC, a court or other governmental body of appropriate jurisdiction determines or has determined that Verizon is not required by Applicable Law to provide such UNE or Combination, Verizon may terminate its provision of such UNE or Combination to NEON. If Verizon terminates its provision of a UNE or a Combination to NEON pursuant to this Section 0 and NEON elects to purchase other services offered by

**Verizon in place of such UNE or Combination, then: (a) Verizon shall reasonably cooperate with NEON to coordinate the termination of such UNE or Combination and the installation of such services to minimize the interruption of service to Customers of NEON; and, (b) NEON shall pay all applicable charges for such services, including, but not limited to, all applicable installation charges.**

**Nothing contained in this Agreement shall be deemed to constitute an agreement by Verizon that any item identified in this Agreement as a Network Element is (i) a Network Element under Applicable Law, or (ii) a Network Element Verizon is required by Applicable Law to provide to NEON on an unbundled basis or in combination with other Network Elements.**

**If as the result of NEON Customer actions (i.e., Customer Not Ready ("CNR")), Verizon cannot complete requested work activity when a technician has been dispatched to the NEON Customer premises, NEON will be assessed a non-recurring charge associated with this visit. This charge will be the sum of the applicable Service Order charge as provided in the Pricing Attachment and the Premises Visit Charge as provided in Verizon's applicable retail or wholesale Tariff.**

#### **Verizon's Provision of Network Elements**

Subject to the conditions set forth in Section 0 of this Attachment, in accordance with, but only to the extent required by, Applicable Law, Verizon shall provide NEON access to the following:

**Loops, as set forth in Section 0 of this Attachment;**

**Line Sharing, as set forth in Section 0 of this Attachment;**

**Line Splitting, as set forth in Section 0 of this Attachment;**

**Sub-Loops, as set forth in Section 0 of this Attachment;**

**Inside Wire, as set forth in Section 0 of this Attachment;**

**Dark Fiber, as set forth in Section 0 of this Attachment;**

**Network Interface Device, as set forth in Section 0 of this Attachment;**

**Switching Elements, as set forth in Section 0 of this Attachment;**

**Interoffice Transmission Facilities (IOF), as set forth in Section 0 of this Attachment;**

**Signaling Networks and Call-Related Databases, as set forth in Section 0 of this Attachment;**

**Operations Support Systems, as set forth in Section 0 of this Attachment; and**

**Other UNEs in accordance with Section 0 of this Attachment.**

#### **Loop Transmission Types**

**Subject to the conditions set forth in Section 0 of this Attachment, Verizon shall allow NEON to access Loops unbundled from local switching and local transport, in accordance with this Section 0 and the rates and charges provided in the Pricing Attachment. Verizon shall allow NEON access to Loops in accordance with, but only to extent required by, Applicable Law. The available Loop types are as set forth below:**

**“2 Wire Analog Voice Grade Loop” or “Analog 2W”** provides an effective 2-wire channel with 2-wire interfaces at each end that is suitable for the transport of analog Voice Grade (nominal 300 to 3000 Hz) signals and loop-start signaling. This Loop type is more fully described in Verizon Technical Reference (TR)-72565, as revised from time-to-time. If “Customer-Specified Signaling” is requested, the Loop will operate with one of the following signaling types that may be specified when the Loop is ordered: loop-start, ground-start, loop-reverse-battery, and no signaling. Customer specified signaling is more fully described in Verizon TR-72570, as revised from time-to-time. Verizon will not build new facilities.

**“4-Wire Analog Voice Grade Loop” or “Analog 4W”** provides an effective 4-wire channel with 4-wire interfaces at each end that is suitable for the transport of analog Voice Grade (nominal 300 to 3000 Hz) signals. This Loop type will operate with one of the following signaling types that may be specified when the Loop is ordered: loop-start, ground-start, loop-reverse-battery, duplex, and no signaling. This Loop type is more fully described in Verizon TR-72570, as revised from time-to-time. Verizon will not build new facilities.

**“2-Wire ISDN Digital Grade Loop” or “BRI ISDN”** provides a channel with 2-wire interfaces at each end that is suitable for the transport of 160 kbps digital services using the ISDN 2B1Q line code. This Loop type is more fully described in American National Standards Institute (ANSI) T1.601-1998 and Verizon TR 72575, as revised from time-to-time. In some cases loop extension equipment may be necessary to bring the line loss within acceptable levels. Verizon will provide loop extension equipment only upon request. A separate charge will apply for loop extension equipment. The 2-Wire ISDN Digital Grade Loop is available only in the former Bell Atlantic Service Areas. In the former GTE Service Areas only, NEON may order a 2-Wire Digital Compatible Loop using 2-wire ISDN ordering codes to provide similar capability. Verizon will not build new facilities.

**“2-Wire ADSL-Compatible Loop” or “ADSL 2W”** provides a channel with 2-wire interfaces at each end that is suitable for the transport of digital signals up to 8 Mbps toward the Customer and up to 1 Mbps from the Customer. This Loop type is more fully described in Verizon TR-72575, as revised from time-to-time. ADSL-Compatible Loops will be available only where existing copper facilities are available and meet applicable specifications. Verizon will not build new facilities. The upstream and downstream ADSL power spectral density masks and dc line power limits in Verizon TR 72575, as revised from time-to-time, must be met. The 2-Wire ADSL-Compatible Loop is available only in the former Bell Atlantic Service Areas. In the former GTE Service Areas only, NEON may order a 2-Wire Digital Compatible Loop using 2-wire ADSL ordering codes to provide similar capability.

**“2-Wire HDSL-Compatible Loop” or “HDSL 2W”** consists of a single 2-wire non-loaded, twisted copper pair that meets the carrier serving area design criteria. This Loop type is more fully described in Verizon TR-72575, as revised from time-to-time. The HDSL power spectral density mask and dc line power limits referenced in Verizon TR 72575, as revised from time-to-time, must be met. 2-Wire HDSL-Compatible Loops will be provided only where existing facilities are available and can meet applicable specifications. The 2-Wire HDSL-Compatible Loop is

available only in the former Bell Atlantic Service areas. In the former GTE Service Areas only, NEON may order a 2-Wire Digital Compatible Loop using 2-Wire HDSL ordering codes to provide similar capability. Verizon will not build new facilities.

**“4-Wire HDSL-Compatible Loop” or “HDSL 4W”** consists of two 2-wire non-loaded, twisted copper pairs that meet the carrier serving area design criteria. This Loop type is more fully described in Verizon TR-72575, as revised from time-to-time. The HDSL power spectral density mask and dc line power limits referenced in Verizon TR 72575, as revised from time-to-time, must be met. 4-Wire HDSL-Compatible Loops will be provided only where existing facilities are available and can meet applicable specifications. Verizon will not build new facilities.

**“2-Wire IDSL-Compatible Metallic Loop”** consists of a single 2-wire non-loaded, twisted copper pair that meets revised resistance design criteria. This Loop is intended to be used with very-low band symmetric DSL systems that meet the Class 1 signal power limits and other criteria in the T1E1.4 loop spectrum management standard (T1E1.4/2000-002R3) and are not compatible with 2B1Q 160 kbps ISDN transport systems. The actual data rate achieved depends upon the performance of CLEC-provided modems with the electrical characteristics associated with the loop. This Loop type is more fully described in T1E1.4/2000-002R3, as revised from time-to-time. This loop cannot be provided via UDLC. The 2-Wire IDSL-Compatible Metallic Loop is available only in the former Bell Atlantic Service Areas. In the former GTE Service Areas only, NEON may order a 2-Wire Digital Compatible Loop using ISDN ordering codes to provide similar capability. IDLC-compatible local loops will be provided only where facilities are available and can meet applicable specifications. Verizon will not build new facilities.

**“2-Wire SDSL-Compatible Loop”**, is intended to be used with low band symmetric DSL systems that meet the Class 2 signal power limits and other criteria in the T1E1.4 loop spectrum management standard (T1E1.4/2000-002R3). This Loop consists of a single 2-wire non-loaded, twisted copper pair that meets Class 2 length limit in T1E1.4/2000-002R3. The data rate achieved depends on the performance of the CLEC-provided modems with the electrical characteristics associated with the loop. This Loop type is more fully described in T1E1.4/2000-002R3, as revised from time-to-time. The 2-Wire SDSL-Compatible Loop is available only in the former Bell Atlantic Service Areas. In the former GTE Service Areas only, NEON may order a 2-Wire Digital Compatible Loop to provide similar capability. SDSL-compatible local loops will be provided only where facilities are available and can meet applicable specifications. Verizon will not build new facilities.

**“4-Wire 56 kbps Loop”** is a 4-wire Loop that provides a transmission path that is suitable for the transport of digital data at a synchronous rate of 56 kbps in opposite directions on such Loop simultaneously. A 4-Wire 56 kbps Loop consists of two pairs of non-loaded copper wires with no intermediate electronics or it consists of universal digital loop carrier with 56 kbps DDS dataport transport capability. Verizon shall provide 4-Wire 56 kbps Loops to NEON in accordance with, and subject to, the technical specifications set forth in Verizon TR-72575, as revised from time-to-time. Verizon will not build new facilities.

**“DS-1 Loops” provide a digital transmission channel suitable for the transport of 1.544 Mbps digital signals. This Loop type is more fully described in Verizon TR 72575, as revised from time to time. The DS-1 Loop includes the electronics necessary to provide the DS-1 transmission rate. A DS-1 Loop will be provided only where the electronics necessary to provide the DS-1 transmission rate are at the requested installation date currently available for the requested DS-1 Loop. Verizon will not install new electronics. If the electronics necessary to provide Clear Channel (B8ZS) signaling are at the requested installation date currently available for a requested DS-1 Loop, upon request by NEON, the DS-1 Loop will be furnished with Clear Channel (B8ZS) signaling. Verizon will not install new electronics to furnish Clear Channel (B8ZS) signaling.**

**“DS-3 Loops” will support the transmission of isochronous bipolar serial data at a rate of 44.736 Mbps (the equivalent of 28 DS-1 channels). This Loop type is more fully described in Verizon TR 72575, as revised from time to time. The DS-3 Loop includes the electronics necessary to provide the DS-3 transmission rate. A DS-3 Loop will be provided only where the electronics necessary to provide the DS-3 transmission rate are at the requested installation date currently available for the requested DS-3 Loop. Verizon will not install new electronics and Verizon will not build new facilities.**

**In the former Bell Atlantic Service Areas only, “Digital Designed Loops” are comprised of designed loops that meet specific NEON requirements for metallic loops over 18k ft. or for conditioning of ADSL, HDSL, SDSL, IDSL, or BRI ISDN Loops. “Digital Designed Loops” may include requests for:**

- a 2W Digital Designed Metallic Loop with a total loop length of 18k to 30k ft., unloaded, with the option to remove bridged tap;**
- a 2W ADSL Loop of 12k to 18k ft. with an option to remove bridged tap (such a Loop with the bridged tap so removed shall be deemed to be a "2W ADSL Compatible Loop");**
- a 2W ADSL Loop of less than 12k ft. with an option to remove bridged tap (such a Loop with the bridged tap so removed shall be deemed to be a "2W ADSL Compatible Loop");**
- a 2W HDSL Loop of less than 12k ft. with an option to remove bridged tap;**
- a 4W HDSL Loop of less than 12k ft with an option to remove bridged tap;**
- a 2 W Digital Designed Metallic Loop with Verizon-placed ISDN loop extension electronics;**
- a 2W SDSL Loop with an option to remove bridged tap; and**
- a 2W IDSL Loop of less than 18k ft. with an option to remove bridged tap;**

**Verizon shall make Digital Designed Loops available NEON at the rates as set forth in the Pricing Attachment.**

**In the former GTE Service Areas only, “Conditioned Loops” are comprised of designed loops that meet specific NEON requirements for metallic loops over 12k ft. or for conditioning of 2-wire or 4-wire digital or BRI ISDN Loops. “Conditioned Loops” may include requests for:**

- a 2W Digital Loop with a total loop length of 12k to 30k ft., unloaded, with the option to remove bridged tap (such a Loop, unloaded, with bridged tap so removed shall be deemed to be a “2W Digital Compatible Loop”);**
- a 2W Digital Loop of 12k to 18k ft. with an option to remove load coils and/or bridged tap (such a Loop with load coils and/or bridged tap so removed shall be deemed to be a “2W Digital Compatible Loop”);**
- a 2W Digital or 4W Digital Loop of less than 12k ft. with an option to remove bridged tap (such a 2W Loop with bridged tap so removed shall be deemed to be a “2W Digital Compatible Loop”);**
- a 2W Digital Loop with Verizon-placed ISDN loop extension electronics (such a Loop with ISDN loop extension electronics so placed shall be deemed to be a “2W Digital Compatible Loop”).**

**Verizon shall make Conditioned Loops available to NEON at the rates as set forth in the Pricing Attachment.**

**The following ordering procedures shall apply to xDSL Compatible Loops, Digital Designed and Conditioned Loops:**

**NEON shall place orders for xDSL Compatible Loops, Digital Designed and Conditioned Loops by delivering to Verizon a valid electronic transmittal Service Order or other mutually agreed upon type of Service Order. Such Service Order shall be provided in accordance with industry format and specifications or such format and specifications as may be agreed to by the Parties.**

**In former Bell Atlantic Service Areas, Verizon is conducting a mechanized survey of existing Loop facilities, on a Central Office by Central Office basis, to identify those Loops that meet the applicable technical characteristics established by Verizon for compatibility with xDSL Compatible or BRI ISDN signals. The results of this survey will be stored in a mechanized database and made available to NEON as the process is completed in each Central Office. NEON must utilize this mechanized loop qualification database, where available, in advance of submitting a valid electronic transmittal Service Order for an xDSL Compatible or BRI ISDN Loop. Charges for mechanized loop qualification information are set forth in the Pricing Attachment. In former GTE Service Areas, Verizon provides access to mechanized xDSL loop qualification information to help identify those loops that meet applicable technical characteristics for compatibility with xDSL Services that the CLEC may wish to offer to its end user Customers. NEON must access Verizon's mechanized loop qualification system through the use of the on-line computer interface at [www.verizon.com/wise](http://www.verizon.com/wise) in advance of submitting a valid electronic transmittal Service Order for xDSL service arrangements. The loop qualification information provided by Verizon gives NEON the ability to determine loop composition, loop length and may provide other loop**

characteristics, when present, that may indicate incompatibility with xDSL Services such as load coils or Digital Loop Carrier. Information provided by the mechanized loop qualification system also indicates whether loop conditioning may be necessary. It is the responsibility of NEON to evaluate the loop qualification information provided by Verizon and determine whether a loop meets NEON requirements for xDSL Service, including determining whether conditioning should be ordered, prior to submitting an Order.

If the Loop is not listed in the mechanized database described in Section 0 of this Attachment, NEON must request a manual loop qualification, where such qualification is available, prior to submitting a valid electronic Service Order for an xDSL Compatible or BRI ISDN Loop. In general, Verizon will complete a manual loop qualification request within three (3) Business Days, although Verizon may require additional time due to poor record conditions, spikes in demand, or other unforeseen events. The manual loop qualification process is currently available in the former Bell Atlantic Service Areas only.

If a query to the mechanized loop qualification database or manual loop qualification indicates that a Loop does not qualify (e.g., because it does not meet the applicable technical parameters set forth in the Loop descriptions above), NEON may request an Engineering Query, where available, as described in Section 0 of this Attachment, to determine whether the result is due to characteristics of the loop itself (e.g., specific number and location of bridged taps, the specific number of load coils, or the gauge of the cable).

Once a Loop has been pre-qualified, NEON will submit a Service Order pursuant to Section 0 of this Attachment if it wishes to obtain the Loop.

If the Loop is determined to be xDSL Compatible and if the Loop serving the serving address is usable and available to be assigned as a xDSL Compatible Loop, Verizon will initiate standard Loop provisioning and installation processes, and standard Loop provisioning intervals will apply.

If the Loop is determined to be xDSL Compatible, but the Loop serving the service address is unusable or unavailable to be assigned as an xDSL Compatible Loop, Verizon will search the Customer's serving terminal for a suitable spare facility. If an xDSL Compatible Loop is found within the serving terminal, Verizon will perform a Line and Station Transfer (or "pair swap") whereby the Verizon technician will transfer the Customer's existing service from one existing Loop facility onto an alternate existing xDSL Compatible Loop facility serving the same location. Verizon performs Line and Station Transfers in accordance with the procedures developed in the DSL Collaborative in the State of New York, NY PSC Case 00-C-0127. Standard intervals do not apply when Verizon performs a Line and Station Transfer, and additional charges shall apply as set forth in the Pricing Attachment.

If NEON submits a Service Order for an xDSL Compatible or BRI ISDN Loop that has not been prequalified, Verizon will query the Service Order back to NEON for qualification and will not accept such Service Order until the Loop has been prequalified on a mechanized or manual basis. If

NEON submits a Service Order for an xDSL Compatible or BRI ISDN Loop that is, in fact, not compatible with the requested service (e.g. ADSL, HDSL etc.) in its existing condition, Verizon will respond back to NEON with a "Nonqualified" indicator and with information showing whether the non-qualified result is due to the presence of load coils, presence of digital loop carrier, or loop length (including bridged tap).

Where NEON has followed the prequalification procedure described above and has determined that a Loop is not compatible with xDSL technologies or BRI ISDN service in its existing condition, it may either request an Engineering Query, where available, to determine whether conditioning may make the Loop compatible with the applicable service; or if NEON is already aware of the conditioning required (e.g., where NEON has previously requested a qualification and has obtained loop characteristics), NEON may submit a Service Order for a Digital Designed Loop. Verizon will undertake to condition or extend the Loop in accordance with this Section 0 of this Attachment upon receipt of NEON's valid, accurate and pre-qualified Service Order for a Digital Designed Loop.

The Parties will make reasonable efforts to coordinate their respective roles in order to minimize provisioning problems. In general, where conditioning or loop extensions are requested by NEON, an interval of eighteen (18) Business Days will be required by Verizon to complete the loop analysis and the necessary construction work involved in conditioning and/or extending the loop as follows:

Three (3) Business Days will be required following receipt of NEON's valid, accurate and pre-qualified Service Order for a Digital Designed or Conditioned Loop to analyze the loop and related plant records and to create an Engineering Work Order.

Upon completion of an Engineering Work Order, Verizon will initiate the construction order to perform the changes/modifications to the Loop requested by NEON. Conditioning activities are, in most cases, able to be accomplished within fifteen (15) Business Days. Unforeseen conditions may add to this interval.

After the engineering and conditioning tasks have been completed, the standard Loop provisioning and installation process will be initiated, subject to Verizon's standard provisioning intervals.

If NEON requires a change in scheduling, it must contact Verizon to issue a supplement to the original Service Order. If NEON cancels the request for conditioning after a loop analysis has been completed but prior to the commencement of construction work, NEON shall compensate Verizon for an Engineering Work Order charge as set forth in the Pricing Attachment. If NEON cancels the request for conditioning after the loop analysis has been completed and after construction work has started or is complete, NEON shall compensate Verizon for an Engineering Work Order charge as well as the charges associated with the conditioning tasks performed as set forth in the Pricing Attachment.

**Conversion of Live Telephone Exchange Service to Analog 2W Loops.**



**The following coordination procedures shall apply to “live” cutovers of Verizon Customers who are converting their Telephone Exchange Services to NEON Telephone Exchange Services provisioned over Analog 2W unbundled Local Loops (“Analog 2W Loops”) to be provided by Verizon to NEON:**

**Coordinated cutover charges shall apply to conversions of live Telephone Exchange Services to Analog 2W Loops. When an outside dispatch is required to perform a conversion, additional charges may apply. If NEON does not request a coordinated cutover, Verizon will process NEON’s order as a new installation subject to applicable standard provisioning intervals.**

**NEON shall request Analog 2W Loops for coordinated cutover from Verizon by delivering to Verizon a valid electronic Local Service Request (“LSR”). Verizon agrees to accept from NEON the date and time for the conversion designated on the LSR (“Scheduled Conversion Time”), provided that such designation is within the regularly scheduled operating hours of the Verizon Regional CLEC Control Center (“RCCC”) and subject to the availability of Verizon’s work force. In the event that Verizon’s work force is not available, NEON and Verizon shall mutually agree on a New Conversion Time, as defined below. NEON shall designate the Scheduled Conversion Time subject to Verizon standard provisioning intervals as stated in the Verizon CLEC Handbook, as may be revised from time to time. Within three (3) Business Days of Verizon’s receipt of such valid LSR, or as otherwise required by Applicable Law, Verizon shall provide NEON the scheduled due date for conversion of the Analog 2W Loops covered by such LSR.**

**NEON shall provide dial tone at the NEON Collocation site at least forty-eight (48) hours prior to the Scheduled Conversion Time.**

**Either Party may contact the other Party to negotiate a new Scheduled Conversion Time (the “New Conversion Time”); provided, however, that each Party shall use commercially reasonable efforts to provide four (4) business hours’ advance notice to the other Party of its request for a New Conversion Time. Any Scheduled Conversion Time or New Conversion Time may not be rescheduled more than one (1) time in a Business Day, and any two New Conversion Times for a particular Analog 2W Loop shall differ by at least eight (8) hours, unless otherwise agreed to by the Parties.**

**If the New Conversion Time is more than one (1) business hour from the original Scheduled Conversion Time or from the previous New Conversion Time, the Party requesting such New Conversion Time shall be subject to the following:**

**If Verizon requests to reschedule outside of the one (1) hour time frame above, the Analog 2W Loops Service Order Charge for the original Scheduled Conversion Time or the previous New**

Conversion Time shall be credited upon request from NEON; and

If NEON requests to reschedule outside the one (1) hour time frame above, NEON shall be charged an additional Analog 2W Loops Service Order Charge for rescheduling the conversion to the New Conversion Time.

**If NEON is not ready to accept service at the Scheduled Conversion Time or at a New Conversion Time, as applicable, an additional Service Order Charge shall apply. If Verizon is not available or ready to perform the conversion within thirty (30) minutes of the Scheduled Conversion Time or New Conversion Time, as applicable, Verizon and NEON will reschedule and, upon request from NEON, Verizon will credit the Analog 2W Loop Service Order Charge for the original Scheduled Conversion Time.**

**The standard time interval expected from disconnection of a live Telephone Exchange Service to the connection of the Analog 2W Loops to NEON is fifteen (15) minutes per Analog 2W Loop for all orders consisting of twenty (20) Analog 2W Loops or less. Orders involving more than twenty (20) Loops will require a negotiated interval.**

**Conversions involving LNP will be completed according to North American Numbering Council (NANC) standards, via the regional Number Portability Administration Center (NPAC).**

**If NEON requires Analog 2W Loop conversions outside of the regularly scheduled Verizon RCCC operating hours, such conversions shall be separately negotiated. Additional charges (e.g. overtime labor charges) may apply for desired dates and times outside of regularly scheduled RCCC operating hours.**

**Cooperative Testing.**

In the former Bell Atlantic Service Areas only, NEON may request Cooperative Testing in conjunction with its request for an xDSL Compatible Loop or Digital Designed Loop. "Cooperative Testing" is a procedure whereby a Verizon technician and a NEON technician jointly verify that an xDSL Compatible Loop or Digital Designed Loop is properly installed and operational prior to Verizon's completion of the order. NEON may request, at its option, Cooperative Testing by entering a toll-free (e.g. 800/888/877) number in the Remarks field of the LSR of an xDSL Compatible or Digital Designed Loop Service Order, and the Verizon technician will call the toll-free number to perform the Cooperative Test. When both the Verizon and NEON technicians agree that the Loop test shows that the Loop is operational, the NEON technician will provide the Verizon technician with a serial number to acknowledge that the Loop is operational. Charges for Cooperative Testing are as set forth in the Pricing Attachment.

**Verizon shall provide NEON access to its Loops at each of Verizon's Wire Centers for Loops terminating in that Wire Center. In addition, if NEON orders one or more Loops provisioned via Integrated Digital Loop Carrier or Remote Switching technology deployed as a Loop concentrator, Verizon shall, where available, move the requested Loop(s) to a spare physical Loop, if one is existing and available, at no**

additional charge to NEON. If, however, no spare physical Loop is available, Verizon shall within three (3) Business Days of NEON's request notify NEON of the lack of available facilities. Upon request and to the extent required by Applicable Law, Verizon will provide NEON access to the unbundled Local Loop through the demultiplexing of the integrated digitized Loop(s). Upon request and to the extent required by Applicable Law, Verizon will provide NEON access to the unbundled Local Loop at the Loop concentration site point. Notwithstanding anything to the contrary in this Agreement, standard provisioning intervals shall not apply to Loops provided under this Section 0.

### Line Sharing

“Line Sharing” is an arrangement by which Verizon facilitates NEON’s provision of ADSL (in accordance with T1.413), Splitterless ADSL (in accordance with T1.419), RADSL (in accordance with TR # 59), Multiple Virtual Line (MVL) (a proprietary technology), or any other xDSL technology that is presumed to be acceptable for shared line deployment in accordance with FCC Regulations, to a particular Customer location over an existing copper Loop that is being used simultaneously by Verizon to provide analog circuit-switched Voice Grade service to that Customer by making available to NEON, solely for NEON’s own use, the frequency range above the voice band on the same copper Loop required by NEON to provide such services. This Section 0 addresses line sharing over loops that are entirely copper loops.

Subject to the conditions set forth in Section 0 of this Attachment, Verizon shall provide Line Sharing to NEON for NEON’s provision of ADSL (in accordance with T1.413), Splitterless ADSL (in accordance with T1.419), RADSL (in accordance with TR # 59), MVL (a proprietary technology), or any other xDSL technology that is presumed to be acceptable for shared line deployment in accordance with FCC Regulations. Verizon shall provide Line Sharing to NEON in accordance with, but only to the extent required by, Applicable Law. In order for a Loop to be eligible for Line Sharing, the following conditions must be satisfied for the duration of the Line Sharing arrangement: (i) the Loop must consist of a copper loop compatible with an xDSL service that is presumed to be acceptable for shared-line deployment in accordance with FCC Regulations; (ii) Verizon must be providing simultaneous circuit-switched analog Voice Grade service to the Customer served by the Loop in question; (iii) the Verizon Customer’s dial tone must originate from a Verizon End Office Switch in the Wire Center where the Line Sharing arrangement is being requested; and (iv) the xDSL technology to be deployed by NEON on that Loop must not significantly degrade the performance of other services provided on that Loop.

Verizon shall make Line Sharing available to NEON at the rates and charges set forth in the Pricing Attachment. In addition to the recurring and nonrecurring charges shown in the Pricing Attachment for Line Sharing itself, the following rates shown in the Pricing Attachment and in Verizon’s applicable Tariffs are among those that may apply to a Line Sharing arrangement: (i) prequalification charges to determine whether a Loop is xDSL compatible (i.e., compatible with an xDSL service that is presumed to be acceptable for shared-line deployment in accordance with FCC Regulations); (ii) engineering query charges, engineering work order charges, or Loop conditioning (Digital Designed or Conditioned Loop) charges; (iii) charges associated with Collocation activities requested by NEON; and (iv) misdirected dispatch charges, charges for installation or repair, manual intervention surcharges, trouble isolation charges, and pair swap/line and station transfer charges.

The following ordering procedures shall apply to Line Sharing:

To determine whether a Loop qualifies for Line Sharing, the Loop must first be prequalified to determine if it is xDSL compatible. NEON must utilize the Loop qualification processes described in the terms applicable to xDSL Compatible Loops, Digital Designed Loops and Conditioned Loops to make this determination.

NEON shall place orders for Line Sharing by delivering to Verizon a valid electronic transmittal Service Order or other mutually agreed upon type of Service Order. Such Service Order shall be provided in accordance with industry format and specifications or such format and specifications as may be agreed to by the Parties.

If the Loop is prequalified by NEON through the Verizon Loop prequalification tools, and if a positive response is received and followed by receipt of NEON's valid, accurate and pre-qualified Service Order for Line Sharing, Verizon will return an LSR confirmation within twenty-four (24) hours (weekends and holidays excluded) for LSRs with less than six (6) loops and within 72 hours (weekends and holidays excluded) for LSRs with six (6) or more loops. In such case, Verizon shall initiate provisioning and installation in accordance with the terms pertaining to xDSL Compatible Loops, Digital Designed Loops and Conditioned Loops pursuant to Section 0 of this Attachment.

If the Loop requires qualification manually or through an Engineering Query, three (3) additional Business Days will generally be required to obtain Loop qualification results before an order confirmation can be returned following receipt of NEON's valid, accurate request. Verizon may require additional time to complete the Engineering Query where there are poor record conditions, spikes in demand, or other unforeseen events.

If conditioning is required to make a Loop capable of supporting Line Sharing and NEON orders such conditioning, then Verizon shall provide such conditioning in accordance with the terms of this Agreement pertaining to Digital Designed or Conditioned Loops; provided, however, that Verizon shall not be obligated to provide Loop conditioning if Verizon establishes, in the manner required by Applicable Law, that such conditioning is likely to degrade significantly the Voice-Grade service being provided to Verizon's Customers over such Loops.

The standard Loop provisioning and installation process will be initiated for the Line Sharing arrangement only once the requested engineering and conditioning tasks have been completed on the Loop. Scheduling changes and charges associated with order cancellations after conditioning work has been initiated are addressed in the terms pertaining to Digital Designed and Conditioned Loops, as referenced in Section 0 of this Attachment. The standard provisioning interval for the Line Sharing arrangement shall be as set out in the Verizon Product Interval Guide; provided that the standard provisioning interval for the Line Sharing arrangement shall not exceed the shortest of the following intervals: (a) six (6) Business Days; (b) the standard provisioning interval for the Line Sharing arrangement that is stated in an applicable Verizon Tariff; or, (c) the standard provisioning interval for the Line Sharing arrangement that is required by Applicable Law, if any. The standard provisioning interval for the Line Sharing arrangement shall commence only once any requested engineering and conditioning tasks have been completed. The standard provisioning interval shall not apply where a Line and Station Transfer is performed pursuant to Section 0. In no event shall the Line

Sharing interval offered to NEON be longer than the interval offered to any similarly situated Affiliate of Verizon.

NEON must provide all required Collocation, CFA, Special Bill Number (SBN) and NC/NCI information when a Line Sharing Arrangement is ordered. Collocation augments required, either at the Point of Termination (POT) Bay, Collocation node, or for splitter placement, must be ordered using standard Collocation applications and procedures, unless otherwise agreed to by the Parties or specified in this Agreement.

The Parties recognize that Line Sharing is an offering that requires both Parties to make reasonable efforts to coordinate their respective roles in order to minimize provisioning problems and facility issues. NEON will provide reasonable, timely, and accurate forecasts of its Line Sharing requirements, including splitter placement elections and ordering preferences. These forecasts are in addition to projections provided for other stand-alone unbundled Loop types.

To the extent required by Applicable Law, NEON shall provide Verizon with information regarding the type of xDSL technology that it deploys on each shared Loop. Where any proposed change in technology is planned on a shared Loop, NEON must provide this information to Verizon in order for Verizon to update Loop records and anticipate effects that the change may have on the Voice Grade service and other Loops in the same or adjacent binder groups.

As described more fully in Verizon Technical Reference 72575, the xDSL technology used by NEON for Line Share Arrangements shall operate within the Power Spectral Density (PSD) limits set forth in T1.413-1998 (ADSL), T1.419-2000 (Splitterless ADSL), or TR59-1999 (RADSL), and MVL (a proprietary technology) shall operate within the 0 to 4 kHz PSD limits of T1.413-1998 and within the transmit PSD limits of T1.601-1998 for frequencies above 4 kHz, provided that the MVL PSD associated with audible frequencies above 4 kHz shall be sufficiently attenuated to preclude significantly degrading voice services. NEON's deployment of additional Advanced Services shall be subject to the applicable FCC Regulations.

NEON may only access the high frequency portion of a Loop in a Line Sharing arrangement through an established Collocation arrangement at the Verizon Serving Wire Center that contains the End Office Switch through which Voice Grade service is provided to Verizon's Customer. NEON is responsible for providing, through one of the splitter options described below, a splitter at that Wire Center that complies with ANSI specification T1.413, employs Direct Current (DC) blocking capacitors or equivalent technology to assist in isolating high bandwidth trouble resolution and maintenance to the high frequency portion of the frequency spectrum, and operates so that the analog voice "dial tone" stays active when the splitter card is removed for testing or maintenance. NEON is also responsible for providing its own Digital Subscriber Line Access Multiplexer (DSLAM) equipment in the Collocation arrangement and any necessary Customer Provided Equipment (CPE) for the xDSL service it intends to provide (including CPE splitters, filters and/or other equipment necessary for the end user to receive separate voice and data services across the shared Loop).

Two splitter configurations are available. In both configurations, the splitter must be provided by NEON and must satisfy the same NEBS requirements that Verizon imposes on its own splitter equipment or the splitter equipment of any Verizon Affiliate. NEON must designate which splitter option it is choosing on the Collocation application or augment. Regardless of the option selected, the splitter arrangements must be installed before NEON submits an order for Line

Sharing.

Splitter Option A (Splitter Option 1): Splitter in NEON Collocation Area

In this configuration, the NEON-provided splitter (ANSI T1.413 or MVL compliant) is provided, installed and maintained by NEON in its own Collocation space within the Customer's serving End Office. The Verizon-provided dial tone is routed through the splitter in the NEON Collocation area. Any rearrangements will be the responsibility of NEON.

Splitter Option C (Splitter Option 2): Splitter in Verizon Area

In this configuration, Verizon inventories and maintains a NEON-provided splitter (ANSI T1.413 or MVL compliant) in Verizon space within the Customer's serving End Office. The splitters will be installed shelf-at-a-time.

In those serving End Offices where Verizon employs the use of a POT Bay for interconnection of NEON's Collocation arrangement with Verizon's network, the splitter will be installed (mounted) in a relay rack between the POT Bay and the MDF. The demarcation point is at the splitter end of the cable connecting the POT Bay and the splitter. Installation of the splitter will be performed by Verizon or, at NEON's election, by a Verizon-approved vendor designated by NEON.

In those serving End Offices where Verizon does not employ a POT Bay for interconnection of NEON's Collocation arrangement with Verizon's network, the NEON provided splitter will be installed (mounted) in a relay rack between the NEON Collocation arrangement and the MDF. The demarcation point is at the splitter end of the cable connecting the NEON Collocation arrangement and the splitter. Installation of the splitter will be performed by Verizon, or, at NEON's election, by a Verizon-approved vendor designated by NEON.

In either scenario, Verizon will control the splitter and will direct any required activity. Where a POT Bay is employed, Verizon will also perform all POT Bay work required in this configuration. Verizon will provide a splitter inventory to NEON upon completion of the required work.

**Where a new splitter is to be installed as part of an initial Collocation implementation, the splitter installation may be ordered as part of the initial Collocation application. Associated Collocation charges (application and engineering fees) apply. NEON must submit a new Collocation application, with the application fee, to Verizon detailing its request. Except as otherwise required by Applicable Law, standard Collocation intervals will apply.**

**Where a new splitter is to be installed as part of an existing Collocation arrangement, or where the existing Collocation arrangement is to be augmented (e.g., with additional terminations at the POT Bay or NEON's Collocation arrangement to support Line Sharing), the splitter installation or augment may be ordered via an application for Collocation augment. Associated Collocation charges (application and engineering fees) apply. NEON must submit the application for Collocation augment, with the application fee, to Verizon. Unless a longer interval is stated in Verizon's applicable Tariff, an interval of seventy-six (76) Business Days shall apply.**

**NEON will have the following options for testing shared Loops:**

**In serving End Offices where Verizon employs a POT Bay for interconnection of NEON Collocation arrangement with Verizon's network, the following options shall be available to NEON.**

**Under Splitter Option A, NEON may conduct its own physical tests of the shared Loop from NEON's Collocation area. If it chooses to do so, NEON may supply and install a test head to facilitate such physical tests, provided that: (a) the test head satisfies the same NEBS requirements that Verizon imposes on its own test head equipment or the test head equipment of any Verizon Affiliate; and (b) the test head does not interrupt the voice circuit to any greater degree than a conventional MLT test. Specifically, the NEON-provided test equipment may not interrupt an in-in-progress voice connection and must automatically restore any circuits tested in intervals comparable to MLT. This optional NEON-provided test head will be installed in NEON's Collocation area between the "line" port of the splitter and the POT Bay in order to conduct remote physical tests of the shared Loop.**

**Under Splitter Option C, upon request by NEON, either Verizon or, at NEON's election, a Verizon-approved vendor selected by NEON will install a NEON-provided test head to enable NEON to conduct remote physical tests of the shared Loop. This optional NEON-provided test head will be installed at a point between the "line" port of the splitter and the Verizon-provided test head that is used by Verizon to conduct its own Loop testing. The NEON-provided test head must satisfy the same NEBS requirements that Verizon imposes on its own test head equipment or the test head equipment of any Verizon Affiliate, and may not interrupt the voice circuit to any greater degree than a conventional MLT test. Specifically, the NEON-provided test equipment may not interrupt an in-progress voice connection and must automatically restore any circuits tested in intervals comparable to MLT. Verizon will inventory, control and maintain the NEON-provided test head, and will direct all required activity.**

**Under either Splitter Option, if Verizon has installed its own test head, Verizon will conduct tests of the shared Loop using a Verizon-provided test head, and, upon request, will provide these test results to NEON during normal trouble isolation procedures in accordance with reasonable procedures.**

**Under either Splitter Option, upon request by NEON, Verizon will make MLT access available to NEON via RETAS after the Service Order has been completed. NEON will utilize the circuit number to initiate a test.**

**Where Verizon has deployed Wideband Test equipment (i.e., Verizon-East), under either Splitter Option, upon request by NEON, Verizon shall perform a Wideband Test to diagnose troubles and provide NEON with the test results during the trouble shooting process. Charges for Wideband Testing are as set forth in the Pricing Attachment.**

**In those serving End Offices where Verizon has not employed a POT Bay for interconnection of NEON's Collocation arrangement with Verizon's network, NEON will not be permitted to supply its own test head. Instead, Verizon will make a testing system available to NEON through use of the on-line computer interface test system at [www.verizon.com/wise](http://www.verizon.com/wise).**

**The Parties will continue to work cooperatively on testing procedures. To this end, in situations where NEON has attempted to use one or more of the foregoing testing options but is still unable to resolve the error or trouble on the shared Loop, Verizon and NEON will each dispatch a technician to an agreed-upon point to conduct a joint meet test to identify and resolve the error or trouble. Verizon may assess a charge for a misdirected dispatch only if the error or trouble is determined to be one that NEON should reasonably have been able to isolate and diagnose through one of the testing options available to NEON above. The Parties will mutually agree upon the specific procedures for conducting joint meet tests.**

**Verizon and NEON each have a responsibility to educate the Customer regarding which service provider should be called for problems with their respective service offerings. Verizon will retain primary responsibility for voice band trouble tickets, including repairing analog Voice Grade services and the physical line between the NID at the Customer premises and the point of demarcation in the Central Office. NEON will be responsible for repairing services it offers over the Line Sharing arrangement. Each Party will be responsible for maintaining its own equipment. If a splitter or test head that NEON has provided to Verizon malfunctions, NEON shall provide a replacement splitter or test head to Verizon. Before either Party initiates any activity on a shared Loop that may cause a disruption of the service of the other Party, that Party shall first make a good faith effort to notify the other Party of the possibility of a service disruption. Verizon and NEON will work together to address Customer initiated repair requests and to prevent adverse impacts to the Customer.**

**When Verizon provides Inside Wire maintenance services to the Customer, Verizon will only be responsible for testing and repairing the Inside Wire for voice-grade services. Verizon will not test, dispatch a technician, repair, or upgrade Inside Wire to clear trouble calls associated with NEON's Advanced Services. Verizon will not repair any CPE provided by NEON. Before a trouble ticket is issued to Verizon, NEON shall validate whether the Customer is experiencing a trouble that arises from NEON's service. If the problem reported is isolated to the analog voice-grade service provided by Verizon, a trouble ticket may be issued to Verizon.**

**In the case of a trouble reported by the Customer on its Voice Grade service, if Verizon determines the reported trouble arises from NEON's equipment, splitter problems, or NEON's activities, Verizon will:**

**Notify NEON and request that NEON immediately test the trouble on NEON's service.**

**If the Customer's Voice Grade service is so degraded that the Customer cannot originate or receive Voice Grade calls, and NEON has not cleared its trouble within a reasonable time frame, Verizon may take unilateral steps to temporarily restore the**



**Customer's Voice Grade service if Verizon determines in good faith that the cause of the voice interruption is NEON's service. Where the Customer's Voice Grade service is degraded by NEON's particular technology deployment, Verizon will, to the extent required by Applicable Law, establish before the Commission that NEON's particular technology deployment is causing the significant degradation and, upon Verizon having done so, NEON will discontinue deployment (or use) of that technology and will migrate its Customers to technologies that will not significantly degrade the performance of other such services.**

**Upon completion of the steps in Sections 0 and 0 of this Attachment, Verizon may temporarily remove the NEON-provided splitter from the Customer's Loop and switch port if Verizon determines in good faith that the cause of the voice interruption is NEON's service.**

**Upon notification from NEON that the malfunction in NEON's service has been cleared, Verizon will restore NEON's service by restoring the splitter on the Customer's Loop.**

**Upon completion of the above steps, NEON will be charged a Trouble Isolation Charge (TIC) to recover Verizon's costs of isolating and temporarily removing the malfunctioning NEON service from the Customer's line if the cause of the voice interruption was NEON's service.**

**Verizon shall not be liable to NEON, the Customer, or any other person, for damages of any kind for disruptions to NEON's service that are the result of the above steps taken in good faith to restore the end user's voice-grade POTS service, and NEON shall indemnify Verizon from any Claims that result from such steps.**

### **Line Splitting**

CLECs may provide integrated voice and data services over the same Loop by engaging in "Line Splitting" as set forth in paragraph 18 of the FCC's Line Sharing Reconsideration Order (CC Docket Nos. 98-147, 96-98), released January 19, 2001. Any Line Splitting between two CLECs shall be accomplished by prior negotiated arrangement between those CLECs. To achieve a Line Splitting capability, CLECs may utilize supporting Verizon OSS to order and combine in a Line Splitting configuration an unbundled xDSL Compatible Loop terminated to a collocated splitter and DSLAM equipment provided by a participating CLEC, unbundled switching combined with shared transport, collocator-to-collocator connections, and available cross-connects, under the terms and conditions set forth in their Interconnection Agreement(s). The participating CLECs shall provide any splitters used in a Line Splitting configuration. CLECs seeking to migrate existing UNE platform configurations to a Line Splitting configuration using the same Network Elements utilized in the pre-existing platform arrangement, or seeking to migrate a Line Sharing arrangement to a Line Splitting configuration using the existing Loop, a Verizon Local Switching Network Element, and the existing central office wiring configuration, may do so consistent with such implementation schedules, terms, conditions and guidelines as are agreed upon for such migrations in the ongoing DSL Collaborative in the State of New York, NY PSC Case 00-C-0127, allowing for local jurisdictional and OSS differences.

## **Sub-Loop**

Subject to the conditions set forth in Section 1 of this Attachment and upon request by NEON, Verizon shall allow NEON to access Sub-Loops unbundled from local switching and transport, in accordance with the terms of this Section 6 and the rates and charges set forth in the Pricing Attachment. Verizon shall allow NEON access to Sub-Loops in accordance with, but only to the extent required by, Applicable Law. The available Sub-Loop types are as set forth below.

### **Unbundled Sub-Loop Arrangement– Distribution (USLA).**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall provide NEON with access to a Sub-Loop Distribution Facility in accordance with, and subject to, the terms and provisions of this Section 0, the rates set forth in the Pricing Attachment, and the rates, terms and conditions set forth in Verizon's applicable Tariffs. Verizon shall provide NEON with access to a Sub-Loop Distribution Facility in accordance with, but only to the extent required by, Applicable Law.

**NEON may request that Verizon reactivate (if available) an unused drop and NID or provide NEON with access to a drop and NID that, at the time of NEON's request, Verizon is using to provide service to the Customer (as such term is hereinafter defined).**

**NEON may obtain access to a Sub-Loop Distribution Facility only at an FDI, through any method required by Applicable Law, in addition to existing methods such as from a Telecommunications outside plant interconnection cabinet (TOPIC) or, if NEON is collocated at a remote terminal equipment enclosure and the FDI for such Sub-Loop Distribution Facility is located in such enclosure, from the Collocation arrangement of NEON at such terminal. If NEON obtains access to a Sub-Loop Distribution Facility from a TOPIC, NEON shall install a TOPIC on an easement or Right of Way obtained by NEON within 100 feet of the Verizon FDI to which such Sub-Loop Distribution Facility is connected. A TOPIC must comply with applicable industry standards. Subject to the terms of applicable Verizon easements, Verizon shall furnish and place an interconnecting cable between a Verizon FDI and a NEON TOPIC and Verizon shall install a termination block within such TOPIC. Verizon shall retain title to and maintain the interconnecting cable. Verizon shall not be responsible for building, maintaining or servicing the TOPIC and shall not provide any power that might be required by NEON for any of NEON's electronics in the TOPIC. NEON shall provide any easement, Right of Way or trenching or supporting structure required for any portion of an interconnecting cable that runs beyond a Verizon easement.**

**NEON may request from Verizon by submitting a loop make-up engineering query to Verizon, and Verizon shall provide to NEON, the following information regarding a Sub-Loop Distribution Facility that serves an identified Customer: the Sub-Loop Distribution Facility's length and gauge; whether the Sub-Loop Distribution Facility has loading and bridged tap; the amount of bridged tap (if any) on the Sub-Loop Distribution Facility; and, the location of the FDI to which the Sub-Loop Distribution Facility is connected.**

**To order access to a Sub-Loop Distribution Facility from a TOPIC, NEON must first request that Verizon connect the Verizon FDI to which the Sub-Loop Distribution Facility is connected to a NEON TOPIC. To make such a request, NEON must submit to Verizon an application (a “Sub-Loop Distribution Facility Interconnection Application”) that identifies the FDI at which NEON wishes to access the Sub-Loop Distribution Facility. A Sub-Loop Distribution Facility Interconnection Application shall state the location of the TOPIC, the size of the interconnecting cable and a description of the cable’s supporting structure. A Sub-Loop Distribution Facility Interconnection Application shall also include a five -year forecast of NEON’s demand for access to Sub-Loop Distribution Facilities at the requested FDI. NEON must submit the application fee set forth in the Pricing Attachment attached hereto and Verizon’s applicable Tariffs (a “Sub-Loop Distribution Facility Application Fee”) with Sub-Loop Distribution Facility Interconnection Application. NEON must submit Sub-Loop Interconnection Applications to:**

USLA Project Manager  
Verizon  
Room 509  
125 High Street  
Boston, MA 02110  
E-Mail: Collocation.applications@Verizon.com

**Within sixty (60) days after it receives a complete Sub-Loop Distribution Facility Interconnection Application for access to a Sub-Loop Distribution Facility and the Sub-Loop Distribution Facility Application Fee for such application, Verizon shall provide to NEON a work order that describes the work that Verizon must perform to provide such access (a “Sub-Loop Distribution Facility Work Order”) and a statement of the cost of such work (a “Sub-Loop Distribution Facility Interconnection Cost Statement”).**

**NEON shall pay to Verizon fifty percent (50%) of the cost set forth in a Sub-Loop Distribution Facility Interconnection Cost Statement within sixty (60) days of NEON’s receipt of such statement and the associated Sub-Loop Distribution Facility Work Order, and Verizon shall not be obligated to perform any of the work set forth in such order until Verizon has received such payment. A Sub-Loop Distribution Facility Interconnection Application shall be deemed to have been withdrawn if NEON breaches its payment obligation under this Section. Upon Verizon’s completion of the work that Verizon must perform to provide NEON with access to a Sub-Loop Distribution Facility, Verizon shall bill NEON, and NEON shall pay to Verizon, the balance of the cost set forth in the Sub-Loop Distribution Facility Interconnection Cost Statement for such access.**

**After Verizon has completed the installation of the interconnecting cable to a NEON TOPIC and NEON has paid the full cost of such installation, NEON can request the connection of Verizon Sub-Loop Distribution Facilities to the NEON TOPIC. At the same time, NEON shall advise Verizon of the services that NEON plans to provide over the Sub-Loop Distribution Facility, request any conditioning of the Sub-Loop Distribution Facility and assign the pairs in the interconnecting cable. NEON shall run any crosswires within the TOPIC.**

If NEON requests that Verizon reactivate an unused drop and NID, then NEON shall provide dial tone (or its DSL equivalent) on the NEON side of the applicable Verizon FDI at least twenty-four (24) hours before the due date. On the due date, a Verizon technician will run the appropriate cross connection to connect the Verizon Sub-Loop Distribution Facility to the NEON dial tone or equivalent from the TOPIC. If NEON requests that Verizon provide NEON with access to a Sub-Loop Distribution Facility that, at the time of NEON's request, Verizon is using to provide service to a Customer, then, after NEON has looped two interconnecting pairs through the TOPIC and at least twenty four (24) hours before the due date, a Verizon technician shall crosswire the dial tone from the Verizon central office through the Verizon side of the TOPIC and back out again to the Verizon FDI and Verizon Sub-Loop Distribution Facility using the "loop through" approach. On the due date, NEON shall disconnect Verizon's dial tone, crosswire its dial tone to the Sub-Loop Distribution Facility and submit NEON's long-term number portability request.

Verizon will not provide access to a Sub-Loop Distribution Facility if Verizon is using the loop of which the Sub-Loop Distribution Facility is a part to provide line sharing service to another CLEC or a service that uses derived channel technology to a Customer unless such other CLEC first terminates the Verizon-provided line sharing or such Customer first disconnects the service that utilizes derived channel technology.

Verizon shall provide NEON with access to a Sub-Loop Distribution Facility in accordance with negotiated intervals

Verizon shall repair and maintain a Sub-Loop Distribution Facility at the request of NEON and subject to the time and material rates set forth in Pricing Attachment and the rates, terms and conditions of Verizon's applicable Tariffs. NEON accepts responsibility for initial trouble isolation for Sub-Loop Distribution Facilities and providing Verizon with appropriate dispatch information based on its test results. If (a) NEON reports to Verizon a Customer trouble, (b) NEON requests a dispatch, (c) Verizon dispatches a technician, and (d) such trouble was not caused by Verizon Sub-Loop Distribution Facility facilities or equipment in whole or in part, NEON shall pay Verizon the charges set forth in the Pricing Attachment and Verizon's applicable Tariffs for time associated with said dispatch. In addition, these charges also apply when the Customer contact as designated by NEON is not available at the appointed time. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site on Verizon company premises ("dispatch in"), the charges set forth in Pricing Attachment and Verizon's applicable Tariffs will be assessed per occurrence to NEON by Verizon. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site outside of Verizon company premises ("dispatch out"), the charges set forth in Pricing Attachment and Verizon's applicable Tariffs will be assessed per occurrence to NEON by Verizon.

**Unbundled Feeder Sub-Loop – Element (UFSE).**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall provide NEON with access to a Sub-Loop Feeder Facility in accordance with, and subject to, the terms and provisions of this Section 0, the rates and charges provided in the Pricing Attachment and the rates, terms and conditions of Verizon's applicable Tariffs.

NEON may obtain access to a Sub-Loop Feeder Facility through any method required by Applicable Law, in addition to existing methods such as from a NEON Collocation arrangement in the Verizon End Office where such Sub-Loop Feeder Facility originates, in which case Verizon shall terminate a Sub-Loop Feeder Facility in an RTEE that subtends such End Office only if NEON has a Collocation arrangement in such RTEE. Upon NEON's request, Verizon will connect a Sub-Loop Feeder Facility to a NEON Collocation arrangement in the Verizon End Office where the Sub-Loop Feeder Facility originates and to either a NEON Collocation arrangement in the Verizon RTEE that subtends such End Office or a Telecommunications Carrier Outside Plant Cabinet (such a cabinet, a "TOPIC") located within 100 feet of the FDI that subtends the End Office and that NEON has established in accordance with, and subject to the terms and provisions of, an agreement between Verizon and NEON that governs the establishment of such TOPIC. Verizon shall connect a Sub-Loop Feeder Facility to the point of termination bay of a NEON Collocation arrangement in a Verizon Central Office or to a NEON TOPIC, by installing appropriate cross connections and Verizon shall be solely responsible for installing such cross connections. NEON may obtain access to a Sub-Loop Feeder Facility between an End Office and an RTEE or an FDI only if DS1 or DS3-capable transmission facilities are available and not in use between such office and RTEE or FDI.

NEON shall run any crosswires within a NEON physical Collocation arrangement and a NEON TOPIC and NEON will have sole responsibility for identifying to Verizon where a Sub-Loop Feeder Facility should be connected to a NEON Collocation arrangement. NEON shall be solely responsible for providing power and space for any cross connects and other equipment that Verizon installs in a TOPIC, and NEON shall not bill Verizon, and Verizon shall not pay NEON, for providing such power and space.

Verizon shall not be obligated to provide to NEON any multiplexing at an RTEE or at a TOPIC. If NEON requests access to a Sub-Loop Feeder Facility and a Sub-Loop Distribution Facility that are already combined, such combination shall be deemed to be a loop and Verizon shall provide such loop to NEON in accordance with, but only to the extent required by, the terms, provisions and rates in this Agreement that govern loops, if any.

Verizon shall provide NEON with access to Sub-Loop Feeder Facility in accordance with negotiated intervals.

Verizon shall repair and maintain a Sub-Loop Feeder Facility at the request of NEON and subject to the time and material rates set forth in the Pricing Attachment and the rates, terms and conditions of Verizon's applicable Tariffs. NEON may not rearrange, disconnect, remove or attempt to repair or maintain any Verizon equipment or facilities without the prior written consent of Verizon. NEON accepts responsibility for initial trouble isolation for Sub-Loop Feeder Facilities and providing Verizon with appropriate dispatch information based on its test results. If (a) NEON reports to Verizon a trouble, (b) NEON requests a dispatch, (c) Verizon dispatches a technician, and (d) such trouble was not caused by Sub-Loop Feeder Facilities or equipment in whole or in part, then NEON shall pay Verizon the charges set forth in Pricing Attachment and Verizon's applicable Tariffs for time associated with said dispatch. In addition, these charges also apply when a NEON contact as designated by

**NEON is not available at the appointed time. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site on Verizon company premises ("dispatch in"), the charges set forth in Pricing Attachment and Verizon's applicable Tariffs will be assessed per occurrence to NEON by Verizon. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site outside of Verizon company premises ("dispatch out"), the charges set forth in Pricing Attachment and Verizon's applicable Tariffs will be assessed per occurrence to NEON by Verizon.**

**Collocation in Remote Terminals.**

To the extent required by Applicable Law, Verizon shall allow NEON to collocate equipment in a Verizon remote terminal equipment enclosure in accordance with, and subject to, the rates, terms and conditions set forth in the Collocation Attachment and the Pricing Attachment.

**Inside Wire**

**House and Riser.**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall provide to NEON access to a House and Riser Cable in accordance with this Section 0 and the rates and charges provided in the Pricing Attachment. Verizon will provide access to a House and Riser Cable only if Verizon owns, operates, maintains and controls such facility and only where such facility is available. Verizon shall not reserve a House and Riser Cable for NEON. NEON may access a House and Riser Cable only at the MPOE for such cable. Verizon shall provide NEON with access to House and Riser Cable in accordance with, but only to the extent required by, Applicable Law. NEON must satisfy the following conditions before ordering access to a House and Riser Cable from Verizon:

**NEON shall locate its compatible terminal block within cross connect distance of the MPOE for such cable. A terminal block is within cross connect distance of an MPOE if it is located in the same room (not including a hallway) or within twelve (12) feet of such MPOE.**

**If suitable space is available, NEON shall install its terminal block no closer than within fourteen (14) inches of the MPOE for such cable, unless otherwise agreed by the Parties.**

**NEON's terminal block or equipment cannot be attached, otherwise affixed or adjacent to Verizon's facilities or equipment, cannot pass through or otherwise penetrate Verizon's facilities or equipment and cannot be installed so that NEON's terminal block or equipment is located in a space where Verizon plans to locate its facilities or equipment.**

**NEON shall identify its terminal block and equipment as a NEON facility.**

**To provide NEON with access to a House and Riser Cable, Verizon shall not be obligated to (a) move any Verizon equipment, (b) secure any right of way for NEON, (c) secure space for NEON in any building, (d) secure access to any portion of a building for NEON or (e) reserve space in any building for NEON.**

**NEON must ensure that its terminal block has been tested for proper installation, numbering and operation before ordering from Verizon access to a House and Riser**

Cable. Verizon shall perform cutover of a Customer to NEON service by means of a House and Riser Cable subject to a negotiated interval. Verizon shall install a jumper cable to connect the appropriate Verizon House and Riser Cable pair to NEON's termination block, and Verizon shall determine how to perform such installation. NEON shall coordinate with Verizon to ensure that House and Riser Cable facilities are converted to NEON in accordance with NEON's order for such services.

If a NEON compatible connecting block or spare termination on NEON's connecting block is not available at the time of installation, Verizon shall bill NEON, and NEON shall pay to Verizon, the Not Ready Charge set forth in the Pricing Attachment and the Parties shall establish a new cutover date.

Verizon shall perform all installation work on Verizon equipment in connection with NEON's use of Verizon's House and Riser Cable. All NEON equipment connected to a House and Riser Cable shall comply with applicable industry standards.

Verizon shall repair and maintain a House and Riser Cable at the request of NEON. NEON shall be solely responsible for investigating and determining the source of all troubles and for providing Verizon with appropriate dispatch information based on its test results. Verizon shall repair a trouble only when the cause of the trouble is a Verizon House and Riser Cable. If (a) NEON reports to Verizon a Customer trouble, (b) NEON requests a dispatch, (c) Verizon dispatches a technician, and (d) such trouble was not caused by a Verizon House and Riser Cable in whole or in part, then NEON shall pay Verizon the charge set forth in the Pricing Attachment for time associated with said dispatch. In addition, this charge also applies when the Customer contact as designated by NEON is not available at the appointed time. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site on Verizon company premises ("dispatch in"), a charge set forth in the Pricing Attachment will be assessed per occurrence to NEON by Verizon. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site outside of Verizon company premises ("dispatch out"), a charge set forth in the Pricing Attachment will be assessed per occurrence to NEON by Verizon.

#### **Dark Fiber**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall provide NEON with access to unbundled Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF (collectively referred to as "Dark Fiber") in accordance with, and subject to, the rates, terms and conditions provided in the Pricing Attachment and rates, terms and conditions of Verizon's applicable Tariffs and, on an interim basis only until such time as there is an effective Tariff in Maine governing the provision of Dark Fiber, in accordance with the letter from Mr. Dennis L. Keshl, Administrative Director of the Commission to Mr. Edward Dinan, President and CEO of Verizon New England Inc., d/b/a Verizon Maine dated March 1, 2002 regarding Docket number 2000-849 ("Commission Letter"), which Commission Letter is hereby incorporated by reference into this Agreement. For avoidance of doubt, at such time as there is an effective Verizon Dark Fiber Tariff in the state of Maine, and subject to the foregoing, Verizon shall no longer provide Dark Fiber to NEON in accordance with the Commission Letter and shall instead provide Dark Fiber to NEON in accordance with the rates, terms and conditions set forth in the effective Verizon Dark Fiber Tariff provisions. Because Verizon is incorporating the terms set forth in the Commission Letter into this Agreement on an interim basis in order to comply with Applicable Law in the state of Maine, such provisions shall not be deemed to have been voluntarily negotiated or agreed to by Verizon and shall not be available to carriers pursuant to Appendix D, Sections 31 and 32 of the Merger Order. Access to unbundled Dark Fiber Loops, Dark Fiber

Sub-Loops and Dark Fiber IOF will be provided by Verizon only where existing facilities are available. Access to Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF will be provided in accordance with, but only to the extent required by, Applicable Law. Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF consist of Verizon optical transmission facilities without attached multiplexers, aggregation or other electronics. To the extent Verizon's Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF contain any lightwave repeaters (e.g., regenerators or optical amplifiers) installed thereon, Verizon shall not remove the same. Except as otherwise required by Applicable Law, the following terms and conditions apply to Verizon's Dark Fiber offerings.

In addition to the other terms and conditions of this Agreement, the following terms and conditions shall apply to Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF:

Verizon shall be required to provide a Dark Fiber Loop only where one end of the Dark Fiber Loop terminates at a Verizon accessible terminal in Verizon's Central Office that can be cross-connected to NEON's Collocation arrangement located in that same Verizon Central Office and the other end terminates at Verizon's accessible terminal located in Verizon's main termination point in the Customer premises in the same serving wire center. Verizon shall be required to provide a Dark Fiber Sub-Loop only where (1) one end of the Dark Fiber Sub-Loop terminates at Verizon's accessible terminal in Verizon's Central Office that can be cross-connected to NEON's Collocation arrangement located in that same Verizon Central Office and the other end terminates at Verizon's accessible terminal at a Verizon remote terminal equipment enclosure that can be cross-connected to NEON's Collocation arrangement or adjacent structure, or (2) one end of the Dark Fiber Sub-Loop terminates at Verizon's accessible terminal located at Verizon's main termination point located within the Customer premises and the other end terminates at Verizon's accessible terminal at a Verizon remote terminal equipment enclosure that can be cross-connected to NEON's Collocation arrangement or adjacent structure, or (3) one end of the Dark Fiber Sub-Loop terminates at Verizon's accessible terminal at a Verizon remote terminal equipment enclosure that can be cross-connected to NEON's Collocation arrangement or adjacent structure and the other end terminates at Verizon's accessible terminal at another Verizon remote terminal equipment enclosure that can be cross-connected to NEON's Collocation arrangement or adjacent structure. A NEON demarcation point at a Customer premises shall be established in the main telco room of the Customer premises if Verizon is located in that room or, if the building does not have a main telco room or if Verizon is not located in that room, then at a location to be determined by Verizon. A NEON demarcation point at a Customer premises shall be established at a location that is no more than thirty (30) feet from Verizon's accessible terminal on which the Dark Fiber Loop or Dark Fiber Sub-Loop terminates. Verizon shall connect a Dark Fiber Loop or Dark Fiber Sub-Loop to the NEON demarcation point by installing a fiber jumper no greater than thirty (30) feet in length.

NEON may access a Dark Fiber Loop, a Dark Fiber Sub-Loop, or Dark Fiber IOF only at a pre-existing Verizon accessible terminal of such Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, and NEON may not access a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF at any other point, including, but not limited to, a splice point or case. Dark



Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF are not available to NEON unless such Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF are already terminated on an existing Verizon accessible terminal. Unused fibers located in a cable vault or a controlled environment vault, manhole or other location outside the Verizon Wire Center, and not terminated to a fiber patch panel, are not available to NEON.

Except if and, to the extent required by, Applicable Law, Verizon will not perform splicing (e.g., introduce additional splice points or open existing splice points or cases) to accommodate NEON's request.

Verizon shall perform all work necessary to install (1) a cross connect or a fiber jumper from a Verizon accessible terminal to a NEON Collocation arrangement or (2) from a Verizon accessible terminal to NEON's demarcation point at a Customer premises or NEON Central Office.

A "Dark Fiber Inquiry Form" must be submitted prior to submitting an ASR. Upon receipt of NEON's completed Dark Fiber Inquiry Form, Verizon will initiate a review of its cable records to determine whether Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF may be available between the locations and in the quantities specified. Verizon will respond within fifteen (15) Business Days from receipt of the NEON's Dark Fiber Inquiry Form, indicating whether Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF may be available (if so available, an "Acknowledgement") based on the records search except that for voluminous requests or large, complex projects, Verizon reserves the right to negotiate a different interval. The Dark Fiber Inquiry is a record search and does not guarantee the availability of Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF. Where a direct Dark Fiber IOF route is not available, Verizon will provide, where available, Dark Fiber IOF via a reasonable indirect route that passes through intermediate Verizon Central Offices at the rates set forth in the Pricing Attachment. Verizon reserves the right to limit the number of intermediate Verizon Central Offices on an indirect route consistent with limitations in Verizon's network design and/or prevailing industry practices for optical transmission applications. Any limitations on the number of intermediate Verizon Central Offices will be discussed with NEON. If access to Dark Fiber IOF is not available, Verizon will notify NEON, within fifteen (15) Business Days, that no spare Dark Fiber IOF is available over the direct route nor any reasonable alternate indirect route, except that for voluminous requests or large, complex projects, Verizon reserves the right to negotiate a different interval. Where no available route was found during the record review, Verizon will identify the first blocked segment on each alternate indirect route and which segment(s) in the alternate indirect route are available prior to encountering a blockage on that route, at the rates set forth in the Pricing Attachment.

NEON shall indicate on the Dark Fiber Inquiry Form whether the available Dark Fiber should be reserved, at the rates set forth in the Pricing Attachment, pending receipt of an order for the Dark Fiber.

Upon request from NEON as indicated on the Dark Fiber Inquiry Form, Verizon shall hold such requested Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF for NEON's use for ten

**(10) Business Days from NEON's receipt of Acknowledgement and may not allow any other party (including Verizon) to use such fiber during that time period.**

**NEON shall submit an order for the reserved Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF as soon as possible using the standard ordering process or parallel provisioning process as described in Section 0. The standard ordering process shall be used when NEON does not have additional requirements for Collocation. The parallel provisioning process shall be used when NEON requires new Collocation facilities or changes to existing Collocation arrangements.**

**If no order is received from NEON for the reserved Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF within ten (10) Business Days from NEON's receipt of Acknowledgement, Verizon shall return to spare the reserved Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF that Verizon previously notified NEON are available. Should NEON submit an order to Verizon after the ten (10) Business Day reservation period for access to a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF that Verizon has previously notified NEON was available, NEON assumes all risk that such Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF will no longer be available.**

**Upon NEON's request, the Parties will conduct parallel provisioning of Collocation and Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF in accordance with the following terms and conditions:**

NEON will use existing interfaces and Verizon's current applications and order forms to request Collocation and Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF.

Verizon will parallel process NEON's requests for Collocation, including augments, and Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF.

Before NEON submits a request for parallel provisioning of Collocation and Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, NEON will:

- submit a Dark Fiber Inquiry Form and receive an Acknowledgement from Verizon;  
and

- submit a Collocation application for the Verizon Central Office(s) where the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF terminates and receive confirmation from Verizon that NEON's Collocation application has been accepted.

NEON will prepare requests for parallel provisioning of Collocation and Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF in the manner and form reasonably specified by Verizon.

If Verizon rejects NEON's Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF request, NEON may cancel its Collocation application within five (5) Business Days of such rejection and receive a refund of the Collocation application fee paid by NEON, less the costs Verizon incurred to date.

If Verizon accepts NEON's Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF request, Verizon will parallel provision the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF to a temporary location in Verizon's Central Office(s). Verizon will charge and NEON will pay for parallel provisioning of such Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF at the rates specified in the Pricing Attachment beginning on the date that Verizon accepts each Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF request.

Within ten (10) days after Verizon completes a NEON Collocation application, NEON shall submit a Dark Fiber change request to reposition Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF from the temporary location in that Verizon Central Office(s) to the permanent location at NEON's Collocation arrangement in such Verizon Central Office(s). NEON will prepare such request(s) in the manner and form specified by Verizon.

If NEON cancels its Collocation application, NEON must also submit a cancellation for the unbundled Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF provisioned to the temporary location in the Verizon Central Office(s).

**NEON shall order Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF by sending to Verizon a separate ASR for each A to Z route.**

**Where a Collocation arrangement can be accomplished in a Verizon premises, access to Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF that terminate in a Verizon premises must be accomplished via a Collocation arrangement in that Verizon premises. In circumstances where a Collocation arrangement cannot be accomplished in a Verizon premises, the Parties agree to negotiate for possible alternative arrangements.**

**A Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF will be offered to NEON in the condition that it is available in Verizon's network at the time that NEON submits its request (i.e., "as is"). In addition, Verizon**

shall not be required to convert lit fiber to a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF for NEON's use.

Spare wavelengths on fiber strands, where Wave Division Multiplexing (WDM) or Dense Wave Division Multiplexing (DWDM) equipment is deployed, are not considered to be Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF, and, therefore, will not be offered to NEON as Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF.

Fiber that has been assigned to fulfill a Customer order for maintenance purposes or for Verizon's lit fiber optic systems will not be offered to NEON as Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF.

NEON shall be responsible for providing all transmission, terminating and lightwave repeater equipment necessary to light and use Dark Fiber Loops, Dark Fiber Sub-Loops, or Dark Fiber IOF.

NEON may not resell Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF, purchased pursuant to this Agreement to third parties.

Except to the extent that Verizon is required by Applicable Law to provide Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF to NEON for use for Special or Switched Exchange Access Services, NEON shall not use Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF, for Special or Switched Exchange Access Services.

In order to preserve the efficiency of its network, Verizon may, upon a showing of need to the Commission, limit NEON to leasing up to a maximum of twenty-five percent (25%) of the Fiber Loops, Fiber Sub-Loops or Fiber IOF in any given segment of Verizon's network. In addition, except as otherwise required by Applicable Law, Verizon may take any of the following actions, notwithstanding anything to the contrary in this Agreement:

Revoke Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF leased to NEON upon a showing of need to the Commission and twelve (12) months' advance written notice to NEON; and

Verizon reserves and shall not waive, Verizon's right to claim before the Commission that Verizon should not have to fulfill a NEON order for Dark Fiber Loops, Dark Fiber Sub-Loops, or Dark Fiber IOF because that request would strand an unreasonable amount of fiber capacity, disrupt or degrade service to Customers or carriers other than NEON, or impair Verizon's ability to meet a legal obligation.

Except as expressly set forth in this Agreement, NEON may not reserve Dark Fiber Loops, Dark Fiber Sub-Loops or Dark Fiber IOF.

NEON shall be solely responsible for: (a) determining whether or not the transmission characteristics of the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF accommodate the requirements of NEON; (b) obtaining any Rights of Way, governmental or private property permit, easement or other authorization or approval required for access to the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF; (c) installation of fiber optic transmission equipment needed to power the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF to transmit

Telecommunications Services traffic; (d) installation of a demarcation point in a building where a Customer is located; and (e) except as set forth with respect to the parallel provisioning process addressed above, NEON's Collocation arrangements with any proper optical cross connects or other equipment that NEON needs to access Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF before it submits an order for such access. NEON hereby represents and warrants that it shall have all such rights of way, authorizations and the like applicable to the geographic location at which it wishes to establish a demarcation point for a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, on or before the date that NEON places an order for the applicable Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, and that it shall maintain the same going forward.

NEON is responsible for trouble isolation before reporting trouble to Verizon. Verizon will restore continuity to Dark Fiber Loops, Dark Fiber Sub-Loops and Dark Fiber IOF that have been broken. Verizon will not repair a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF that is capable of transmitting light, even if the transmission characteristics of the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF have changed.

NEON is responsible for all work activities at the Customer premises. Except as otherwise required by Applicable Law, all negotiations with the premises owner are solely the responsibility of NEON.

NEON may request the following, which shall be provided on a time and materials basis (as set forth in the Pricing Attachment):

A fiber layout map that shows the streets within a Verizon Wire Center where there are existing Verizon fiber cable sheaths. Verizon shall provide such maps to NEON subject to the agreement of NEON, in writing, to treat the maps as confidential and to use them for preliminary design purposes only. NEON acknowledges that fiber layout maps do not show whether or not spare Dark Fiber Loops, Dark Fiber Sub-Loops, or Dark Fiber IOF are available. Verizon shall provide fiber layout maps to NEON subject to a negotiated interval.

A field survey that shows the availability of Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF between two or more Verizon Central Offices, a Verizon Central Office and a NEON Central Office or a Verizon End Office and the premises of a Customer, shows whether or not such Dark Fiber Loop(s), Dark Fiber Sub-Loop(s), or Dark Fiber IOF are defective, shows whether or not such Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF have been used by Verizon for emergency restoration activity and tests the transmission characteristics of Verizon's Dark Fiber Loop(s), Dark Fiber Sub-Loop(s) or Dark Fiber IOF. If a field survey shows that a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF is available, NEON may reserve the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, as applicable, for ten (10) Business Days from receipt of Verizon's field survey results. If NEON submits an order for access to such Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF after passage of the foregoing ten (10) Business Day

reservation period, Verizon does not guarantee or warrant the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF will be available when Verizon receives such order, and NEON assumes all risk that the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF will not be available. Verizon shall perform a field survey subject to a negotiated interval. If a NEON submits an order for a Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF without first obtaining the results of a field survey of such Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF, NEON assumes all risk that the Dark Fiber Loop, Dark Fiber Sub-Loop or Dark Fiber IOF will not be compatible with NEON's equipment, including, but not limited to, order cancellation charges.

#### **Network Interface Device**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall permit NEON to connect a NEON Loop to the Inside Wiring of a Customer's premises through the use of a Verizon NID in accordance with this Section 0 and the rates and charges provided in the Pricing Attachment. Verizon shall provide NEON with access to NIDs in accordance with, but only to the extent required by, Applicable Law. NEON may access a Verizon NID either by means of a connection (but only if the use of such connection is technically feasible) from an adjoining NEON NID deployed by NEON or, if an entrance module is available in the Verizon NID, by connecting a NEON Loop to the Verizon NID. When necessary, Verizon will rearrange its facilities to provide access to an existing Customer's Inside Wire. An entrance module is available only if facilities are not connected to it.

In no case shall NEON access, remove, disconnect or in any other way rearrange Verizon's Loop facilities from Verizon's NIDs, enclosures, or protectors.

In no case shall NEON access, remove, disconnect or in any other way rearrange, a Customer's Inside Wiring from Verizon's NIDs, enclosures, or protectors where such Customer Inside Wiring is used in the provision of ongoing Telecommunications Service to that Customer.

In no case shall NEON remove or disconnect ground wires from Verizon's NIDs, enclosures, or protectors.

In no case shall NEON remove or disconnect NID modules, protectors, or terminals from Verizon's NID enclosures.

Maintenance and control of premises Inside Wiring is the responsibility of the Customer. Any conflicts between service providers for access to the Customer's Inside Wiring must be resolved by the person who controls use of the wiring (e.g., the Customer).

When NEON is connecting a NEON-provided Loop to the Inside Wiring of a Customer's premises through the Customer's side of the Verizon NID, NEON does not need to submit a request to Verizon and Verizon shall not charge NEON for access to the Verizon NID. In such instances, NEON shall comply with the provisions of Sections 0 through 0 of this Attachment and shall access the Customer's Inside Wire in the manner set forth in Section 0 of this Attachment.

Due to the wide variety of NIDs utilized by Verizon (based on Customer size and environmental considerations), NEON may access the Customer's Inside Wiring, acting as the agent of the Customer by any of the following means:

Where an adequate length of Inside Wiring is present and environmental conditions permit, NEON may remove the Inside Wiring from the Customer's side of the Verizon NID and connect that Inside Wiring to NEON's NID.

Where an adequate length of Inside Wiring is not present or environmental conditions do not permit, NEON may enter the Customer side of the Verizon NID enclosure for the purpose of removing the Inside Wiring from the terminals of Verizon's NID and connecting a connectorized or spliced jumper wire from a suitable "punch out" hole of such NID enclosure to the Inside Wiring within the space of the Customer side of the Verizon NID. Such connection shall be electrically insulated and shall not make any contact with the connection points or terminals within the Customer side of the Verizon NID.

NEON may request Verizon to make other rearrangements to the Inside Wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting party (i.e. NEON, its agent, the building owner or the Customer). If NEON accesses the Customer's Inside Wiring as described in this Section 0, time and materials charges will be billed to the requesting party (i.e. NEON, its agent, the building owner or the Customer).

#### **Unbundled Switching Elements**

Subject to the conditions set forth in Section 0 of this Attachment, Verizon shall make available to NEON the local switching element and Tandem switching element unbundled from transport, local Loop transmission, or other services, in accordance with this Section 0 and the rates and charges provided in the Pricing Attachment. Verizon shall provide NEON with access to the local switching element and the Tandem switching element in accordance with, but only to the extent required by, Applicable Law.

#### **Local Switching.**

The unbundled local switching element includes line side and trunk side facilities (e.g. line and trunk side Ports such as analog and ISDN line side Ports and DS1 trunk side Ports), plus the features, functions, and capabilities of the switch. It consists of the line-side Port (including connection between a Loop termination and a switch line card, telephone number assignment, basic intercept, one primary directory listing, presubscription, and access to 911, operator services, and directory assistance), line and line group features (including all vertical features and line blocking options that the switch and its associated deployed switch software is capable of providing and are currently offered to Verizon's local exchange Customers), usage (including the connection of lines to lines, lines to trunks, trunks to lines, and trunks to trunks), and trunk features (including the connection between the trunk termination and a trunk card).

Verizon shall offer, as an optional chargeable feature, usage tapes in accordance with Section Error! Reference source not found. of the Additional Services Attachment.

NEON may request activation or deactivation of features on a per-port basis at any time, and shall compensate Verizon for the non-recurring charges associated with processing the order. NEON may submit a Bona Fide Request in accordance with Section 0 of this Attachment for other switch

features and functions that the switch is capable of providing, but which Verizon does not currently provide, or for customized routing of traffic other than operator services and/or directory assistance traffic. Verizon shall develop and provide these requested services where technically feasible with the agreement of NEON to pay the recurring and non-recurring costs of developing, installing, updating, providing and maintaining these services.

**Network Design Request (NDR).**

Prior to submitting any order for unbundled local switching (as a UNE or in combination with other UNEs), NEON shall complete the NDR process. As part of the NDR process, NEON shall request standardized or customized routing of its Customer traffic in conjunction with the provision of unbundled Local Switching.

If NEON selects customized routing, NEON shall define the routing plan and Verizon shall implement such plan, subject to technical feasibility constraints. Time and Material Charges may apply.

**Tandem Switching.**

The unbundled Tandem switching element includes trunk-connect facilities, the basic switching function of connecting trunks to trunks, and the functions that are centralized in Tandem Switches. Unbundled Tandem switching creates a temporary transmission path between interoffice trunks that are interconnected at a Verizon access Tandem for the purpose of routing a call or calls.

**Unbundled Interoffice Facilities**

Subject to the conditions set forth in Section 0 of this Attachment, where facilities are available, at NEON's request, Verizon shall provide NEON with interoffice facilities (IOF) unbundled from other Network Elements at the rates set forth in the Pricing Attachment; provided, however, that Verizon shall offer unbundled shared IOF only to the extent that NEON also purchases unbundled Local Switching capability from Verizon in accordance with Section 0 of this Attachment. Verizon shall provide NEON with such IOF in accordance with, but only to the extent required by, Applicable Law. Verizon will not install new electronics, and Verizon will not build new facilities.

If and, to the extent that, NEON has purchased (or purchases) transport from Verizon under a Verizon tariff or otherwise, and NEON has a right under Applicable Law to convert (and wishes to convert) such transport to unbundled IOF under this Agreement, it shall give Verizon written notice of such request (including, without limitation, through submission of ASRs if Verizon so requests) and provide to Verizon all information (including, without limitation, a listing of the specific circuits in question) that Verizon reasonably requires to effectuate such conversion. In the case of any such conversion, NEON shall pay any and all conversion charges (e.g., non-recurring charges), as well as any and all termination liabilities, minimum service period charges and like charges in accordance with Verizon's applicable tariffs.

**Signaling Networks and Call-Related Databases**

Subject to the conditions set forth in Section 0 of this Attachment and upon request by NEON, Verizon shall provide NEON with access to databases and associated signaling necessary for call routing and completion by providing SS7 Common



**Channel Signaling (“CCS”) Interconnection, and Interconnection and access to toll free service access code (e.g., 800/888/877) databases, LIDB, and any other necessary databases, in accordance with this Section 0 and the rates and charges provided in the Pricing Attachment. Such access shall be provided by Verizon in accordance with, but only to the extent required by, Applicable Law.**

**NEON shall provide Verizon with CCS Interconnection required for call routing and completion, and the billing of calls which involve NEON’s Customers, at non-discriminatory rates (subject to the provisions of the Pricing Attachment), terms and conditions, provided further that if the NEON information Verizon requires to provide such call-related functionality is resident in a database, NEON will provide Verizon with the access and authorization to query NEON’s information in the databases within which it is stored.**

**Alternatively, either Party (“Purchasing Party”) may secure CCS Interconnection from a commercial SS7 hub provider (third party signaling provider) to transport signaling messages to and from the Verizon CCS network, and in that case the other Party will permit the Purchasing Party to access the same databases as would have been accessible if the Purchasing Party had connected directly to the other Party’s CCS network. If a third party signaling provider is selected by NEON to transport signaling messages, that third party provider must present a letter of agency to Verizon, prior to the testing of the interconnection, authorizing the third party to act on behalf of NEON.**

**Regardless of the manner in which NEON obtains CCS Interconnection, NEON shall comply with Verizon’s SS7 certification process prior to establishing CCS Interconnection with Verizon.**

**The Parties will provide CCS Signaling to each other, where and as available, in conjunction with all Reciprocal Compensation Traffic, Toll Traffic, Meet Point Billing Traffic, and Transit Traffic. The Parties will cooperate on the exchange of TCAP messages to facilitate interoperability of CCS-based features between their respective networks, including all CLASS Features and functions, to the extent each Party offers such features and functions to its Customers. All CCS Signaling parameters will be provided upon request (where available), including called party number, Calling Party Number, originating line information, calling party category, and charge number. All privacy indicators will be honored as required under applicable law.**

**The Parties will follow all OBF-adopted standards pertaining to CIC/OZZ codes.**

**Where CCS Signaling is not available, in-band multi-frequency (“MF”) wink start signaling will be provided. Any such MF arrangement will require a separate local trunk circuit between the Parties’ respective switches in those instances where the Parties have established End Office to End Office high usage trunk groups. In such an arrangement, each Party will out pulse the full ten-digit telephone number of the called Party to the other Party.**

**The Parties acknowledge that there is a network security risk associated with interconnection with the public Internet Protocol network, including, but not limited to, the risk that interconnection of NEON signaling systems to the public Internet Protocol network may expose NEON and Verizon signaling systems and information to interference by third parties. NEON shall notify Verizon in writing sixty (60) days in advance of installation of any network arrangement that may expose signaling systems or information to access through the public Internet Protocol network. NEON shall take commercially reasonable efforts to protect its**

signaling systems and Verizon's signaling systems from interference by unauthorized persons.

Each Party shall provide trunk groups, where available and upon reasonable request, that are configured utilizing the B8ZS ESF protocol for 64 kbps clear channel transmission to allow for ISDN interoperability between the Parties' respective networks.

The following publications describe the practices, procedures and specifications generally utilized by Verizon for signaling purposes and are listed herein to assist the Parties in meeting their respective Interconnection responsibilities related to Signaling:

Telcordia Generic Requirements, GR-905-CORE, Issue 1, March, 1995, and subsequent issues and amendments; and

Where applicable, Verizon Supplement Common Channel Signaling Network Interface Specification (Verizon-905).

Each Party shall charge the other Party mutual and reciprocal rates for any usage-based charges for CCS Signaling, toll free service access code (e.g., 800/888/877) database access, LIDB access, and access to other necessary databases, as follows: Verizon shall charge NEON in accordance with the Pricing Attachment and the terms and conditions in applicable Tariffs. NEON shall charge Verizon rates equal to the rates Verizon charges NEON, unless NEON's Tariffs for CCS signaling provide for lower generally available rates, in which case NEON shall charge Verizon such lower rates. Notwithstanding the foregoing, to the extent a Party uses a third party vendor for the provision of CCS Signaling, such charges shall apply only to the third party vendor.

#### **Operations Support Systems**

Subject to the conditions set forth in Section 0 of this Attachment and in Section **Error! Reference source not found.** of the Additional Services Attachment, Verizon shall provide NEON with access via electronic interfaces to databases required for pre-ordering, ordering, provisioning, maintenance and repair, and billing. Verizon shall provide NEON with such access in accordance with, but only to the extent required by, Applicable Law. All such transactions shall be submitted by NEON through such electronic interfaces.

#### **Availability of Other Network Elements on an Unbundled Basis**

Any request by NEON for access to a Verizon Network Element that is not already available and that Verizon is required by Applicable Law to provide on an unbundled basis shall be treated as a Network Element Bona Fide Request pursuant to Section 0, of this Attachment. NEON shall provide Verizon access to its Network Elements as mutually agreed by the Parties or as required by Applicable Law.

Notwithstanding anything to the contrary in this Section 0, a Party shall not be required to provide a proprietary Network Element to the other Party under this Section 0 except as required by Applicable Law.

#### **Network Element Bona Fide Request (BFR).**

Each Party shall promptly consider and analyze access to a new unbundled Network Element in response to the submission of a Network Element Bona Fide Request by the other Party hereunder. The Network Element Bona Fide Request process set forth herein does not apply to those

services requested pursuant to Report & Order and Notice of Proposed Rulemaking 91-141 (rel. Oct. 19, 1992) ¶ 259 and n.603 or subsequent orders.

**A Network Element Bona Fide Request shall be submitted in writing and shall include a technical description of each requested Network Element.**

**The requesting Party may cancel a Network Element Bona Fide Request at any time, but shall pay the other Party's reasonable and demonstrable costs of processing and/or implementing the Network Element Bona Fide Request up to the date of cancellation.**

**Within ten (10) Business Days of its receipt, the receiving Party shall acknowledge receipt of the Network Element Bona Fide Request.**

**Except under extraordinary circumstances, within thirty (30) days of its receipt of a Network Element Bona Fide Request, the receiving Party shall provide to the requesting Party a preliminary analysis of such Network Element Bona Fide Request. The preliminary analysis shall confirm that the receiving Party will offer access to the Network Element or will provide a detailed explanation that access to the Network Element is not technically feasible and/or that the request does not qualify as a Network Element that is required to be provided by Applicable Law.**

**If the receiving Party determines that the Network Element Bona Fide Request is technically feasible and access to the Network Element is required to be provided by Applicable Law, it shall promptly proceed with developing the Network Element Bona Fide Request upon receipt of written authorization from the requesting Party. When it receives such authorization, the receiving Party shall promptly develop the requested services, determine their availability, calculate the applicable prices and establish installation intervals. Unless the Parties otherwise agree, the Network Element requested must be priced in accordance with Section 252(d)(1) of the Act.**

**As soon as feasible, but not more than ninety (90) days after its receipt of authorization to proceed with developing the Network Element Bona Fide Request, the receiving Party shall provide to the requesting Party a Network Element Bona Fide Request quote which will include, at a minimum, a description of each Network Element, the availability, the applicable rates, and the installation intervals.**

**Within thirty (30) days of its receipt of the Network Element Bona Fide Request quote, the requesting Party must either confirm its order for the Network Element Bona Fide Request pursuant to the Network Element Bona Fide Request quote or seek arbitration by the Commission pursuant to Section 252 of the Act.**

**If a Party to a Network Element Bona Fide Request believes that the other Party is not requesting, negotiating or processing the Network Element Bona Fide Request in good faith, or disputes a determination, or price or cost quote, or is failing to act in accordance with Section 251 of the Act, such Party may seek mediation or arbitration by the Commission pursuant to Section 252 of the Act.**

#### **Maintenance of Network Elements**

If (a) NEON reports to Verizon a Customer trouble, (b) NEON requests a dispatch, (c) Verizon dispatches a technician, and (d) such trouble was not caused by Verizon's facilities or equipment in whole or in part, then NEON shall pay Verizon a charge set forth in the Pricing Attachment for time associated with said dispatch. In addition, this charge also applies when the Customer contact as designated by NEON is not available at the appointed time. NEON accepts responsibility for initial trouble isolation and providing Verizon with appropriate dispatch information based on its test results. If, as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site on Verizon company premises ("dispatch in"), a charge set forth in the Pricing Attachment will be assessed per occurrence to NEON by Verizon. If as the result of NEON instructions, Verizon is erroneously requested to dispatch to a site outside of Verizon company premises ("dispatch out"), a charge set forth in the Pricing Attachment will be assessed per occurrence to NEON by Verizon. Verizon agrees to respond to NEON trouble reports on a non-discriminatory basis consistent with the manner in which it provides service to its own retail Customers or to any other similarly situated Telecommunications Carrier.

### **Combinations**

**Subject to the conditions set forth in Section 0 of this Attachment, Verizon shall be obligated to provide a Combination only to the extent provision of such Combination is required by Applicable Law. To the extent Verizon is required by Applicable Law to provide a Combination to NEON, Verizon shall provide such Combination in accordance with, and subject to, requirements established by Verizon that are consistent with Applicable Law (such requirements, the "Combo Requirements"). Verizon shall make the Combo Requirements publicly available in an electronic form.**

### **Rates and Charges**

The rates and charges for UNEs, Combinations and other services, facilities and arrangements, offered under this Attachment shall be as provided in this Attachment and the Pricing Attachment.

### **Good Faith Performance**

If and, to the extent that, Verizon, prior to the Effective Date of this Agreement, has not provided in the State of Maine a service or arrangement offered under this Attachment, Verizon reserves the right to negotiate in good faith with NEON reasonable terms and conditions (including, without limitation, rates and implementation timeframes) for such service or arrangement; and, if the Parties cannot agree to such terms and conditions (including, without limitation, rates and implementation timeframes), either Party may utilize the Agreement's dispute resolution procedures.

## **COLLOCATION ATTACHMENT**

### **Verizon's Provision of Collocation**

Verizon shall provide to NEON, in accordance with this Agreement (including, but not limited to, Verizon's applicable Tariffs) and the requirements of Applicable Law, Collocation for the purpose of facilitating NEON's interconnection with facilities or services of Verizon or access to Unbundled Network Elements of Verizon; provided, that notwithstanding any other provision of this Agreement, Verizon shall be obligated to provide Collocation to NEON only to the extent required by Applicable Law and may decline to provide Collocation to NEON to the extent that provision of Collocation is not required by Applicable Law. Subject to the foregoing, Verizon shall provide Collocation to NEON in accordance with the rates, terms and conditions set forth in Verizon's Collocation tariff, and Verizon shall do so regardless of whether or not such rates, terms and conditions are effective.

## **911 ATTACHMENT**

### **911/E-911 Arrangements**

**NEON may, at its option, interconnect to the Verizon 911/E-911 Selective Router or 911 Tandem Offices, as appropriate, that serve the areas in which NEON provides Telephone Exchange Services, for the provision of 911/E-911 services and for access to all subtending Public Safety Answering Points (PSAP). In such situations, Verizon will provide NEON with the appropriate CLLI codes and specifications of the Tandem Office serving area. In areas where E-911 is not available, NEON and Verizon will negotiate arrangements to connect NEON to the 911 service in accordance with applicable state law.**

**Path and route diverse Interconnections for 911/E911 shall be made at the technically feasible Point of Interconnection on Verizon's network at which the Parties interconnect, or other points as necessary and mutually agreed, and as required by law or regulation.**

**Within thirty (30) days of its receipt of a complete and accurate request from NEON, to include all required information and applicable forms, and to the extent authorized by the relevant federal, state, and local authorities, Verizon will provide NEON, where Verizon offers 911 service, with the following at a reasonable fee, if applicable:**

- a file via electronic medium containing the Master Street Address Guide ("MSAG") for each county within the LATA(s) where NEON is providing, or represents to Verizon that it intends to provide within sixty (60) days of NEON's request, local exchange service, which MSAG shall be updated as the need arises and a complete copy of which shall be made available on an annual basis;**
- a list of the address and CLLI code of each 911/E-911 selective router or 911 Tandem office(s) in the area in which NEON plans to offer Telephone Exchange Service;**
- a list of geographical areas, e.g., LATAs, counties or municipalities, with the associated 911 tandems, as applicable.**
- a list of Verizon personnel who currently have responsibility for 911/E-911 requirements, including a list of escalation contacts should the primary contacts be unavailable.**
- any special 911 trunking requirements for each 911/E-911 selective router or 911 Tandem Office, where available, and;**
- prompt return of any NEON 911/E-911 data entry files containing errors, so that NEON may ensure the accuracy of the Customer records.**

### **Electronic Interface**

**NEON shall use, where available, the appropriate Verizon electronic interface, through which NEON shall input and provide a daily update of 911/E-911 database information related to appropriate NEON Customers. In those areas where an electronic interface is not available, NEON shall provide Verizon with all appropriate 911/E-911 information such as name, address, and telephone number via facsimile for Verizon's entry into the**

911/E-911 database system. Any 911/E-911-related data exchanged between the Parties prior to the availability of an electronic interface shall conform to Verizon standards, whereas 911/E-911-related data exchanged electronically shall conform to the National Emergency Number Association standards (NENA). NEON may also use the electronic interface, where available, to query the 911/E-911 database to verify the accuracy of NEON Customer information.

### **911 Interconnection**

Verizon and NEON will use commercially reasonable efforts to facilitate the prompt, robust, reliable and efficient interconnection of NEON systems to the 911/E-911 platforms and/or systems.

### **911 Facilities**

NEON shall be responsible for providing facilities from the NEON End Office to the 911 Tandem or selective router. NEON shall deploy diverse routing of 911 trunk pairs to the 911 tandem or selective router.

### **Local Number Portability for use with 911**

The Parties acknowledge that until Local Number Portability (LNP) with full 911/E-911 compatibility is utilized for all ported telephone numbers, the use of Interim Number Portability ("INP") creates a special need to have the Automatic Location Identification (ALI) screen reflect two numbers: the "old" number and the "new" number assigned by NEON. Therefore, for those ported telephone numbers using INP, NEON will provide the 911/E-911 database with both the forwarded number and the directory number, as well as all other required information including the appropriate address information for the Customer for entry into the 911/E-911 database system. Further, NEON will outpulse the telephone number to which the call has been forwarded (that is, the Customer's ANI) to the 911 Tandem office or selective router. NEON will include their NENA five character Company Identification ("COID") for inclusion in the ALI display.

**NEON is required to enter data into the 911/E-911 database under the NENA Standards for LNP. This includes, but is not limited to, using NEON's NENA COID to lock and unlock records and the posting of NEON's NENA COID to the ALI record where such locking and migrating feature for 911/E-911 records are available or as defined by local standards.**

### **PSAP Coordination**

Verizon and NEON will work cooperatively to arrange meetings with PSAPs to answer any technical questions the PSAPs, or county or municipal coordinators may have regarding the 911/E-911 arrangements.

### **911 Compensation**

NEON will compensate Verizon for connections to its 911/E-911 platform and/or system pursuant to the rate schedule included in the Pricing Attachment.

### **911 Rules and Regulations**

NEON and Verizon will comply with all applicable rules and regulations (including 911 taxes and surcharges as defined by local requirements) pertaining to the provision of 911/E-911 services in the State of Maine.

**Good Faith Performance**

If and, to the extent that, Verizon, prior to the Effective Date of this Agreement, has not provided in the State of Maine a service or arrangement offered under this Attachment, Verizon reserves the right to negotiate in good faith with NEON reasonable terms and conditions (including, without limitation, rates and implementation timeframes) for such service or arrangement; and, if the Parties cannot agree to such terms and conditions (including, without limitation, rates and implementation timeframes), either Party may utilize the Agreement's dispute resolution procedures.



## **PRICING ATTACHMENT**

### **General**

As used in this Attachment, the term "Charges" means the rates, fees, charges and prices for a Service.

Except as stated in Section 0 or Section 0 of this Attachment, Charges for Services shall be as stated in this Section 0.

The Charges for a Service shall be the Charges for the Service stated in the Providing Party's applicable Tariff.

In the absence of Charges for a Service established pursuant to Section 0 of this Attachment, the Charges shall be as stated in Appendix A of this Pricing Attachment. For rate elements provided in Appendix A of this Pricing Attachment that do not include a Charge, either marked as "TBD" or otherwise, Verizon is developing such Charges and has not finished developing such Charges as of the Effective Date of this Agreement ("Effective Date"). When Verizon finishes developing such a Charge, Verizon shall notify NEON in writing of such Charge in accordance with, and subject to, the notices provisions of this Agreement and thereafter shall bill NEON, and NEON shall pay to Verizon, for services provided under this Agreement on the Effective Date and thereafter in accordance with such Charge. Any notice provided by Verizon to NEON pursuant to this Section 0 shall be deemed to be a part of Appendix A of this Pricing Attachment immediately after Verizon sends such notice to NEON and thereafter.

The Charges stated in Appendix A of this Pricing Attachment shall be automatically superseded by any applicable Tariff Charges. The Charges stated in Appendix A of this Pricing Attachment also shall be automatically superseded by any new Charge(s) when such new Charge(s) are required by any order of the Commission or the FCC, approved by the Commission or the FCC, or otherwise allowed to go into effect by the Commission or the FCC (including, but not limited to, in a Tariff that has been filed with the Commission or the FCC), provided such new Charge(s) are not subject to a stay issued by any court of competent jurisdiction.

In the absence of Charges for a Service established pursuant to Sections 0 through 0 of this Attachment, if Charges for a Service are otherwise expressly provided for in this Agreement, such Charges shall apply.

In the absence of Charges for a Service established pursuant to Sections 0 through 0 of this Attachment, the Charges for the Service shall be the Providing Party's FCC or Commission approved Charges.

In the absence of Charges for a Service established pursuant to Sections 0 through 0 of this Attachment, the Charges for the Service shall be mutually agreed to by the Parties in writing.

### **Verizon Telecommunications Services Provided to NEON for Resale Pursuant to the Resale Attachment**

Verizon Telecommunications Services for which Verizon is Required to Provide a Wholesale Discount Pursuant to Section 251(c)(4) of the Act.

**The Charges for a Verizon Telecommunications Service purchased by NEON for resale for which Verizon is required to provide a wholesale discount pursuant to Section 251(c)(4) of the Act shall be the Retail Price for such Service set forth in Verizon's applicable Tariffs (or, if there is no Tariff Retail Price for such Service, Verizon's Retail Price for the Service that is generally offered to Verizon's Customers), less, to the extent required by Applicable Law: (a) the applicable wholesale discount stated in Verizon's Tariffs for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act; or (b) in the absence of an applicable Verizon Tariff wholesale discount for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act, the applicable wholesale discount stated in Appendix A for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act.**

**The Charges for a Verizon Telecommunications Service Customer Specific Arrangement ("CSA") purchased by NEON for resale pursuant to Section Error! Reference source not found. of the Resale Attachment for which Verizon is required to provide a wholesale discount pursuant to Section 251(c)(4) of the Act shall be the Retail Price for the CSA, less, to the extent required by Applicable Law: (a) the applicable wholesale discount stated in Verizon's Tariffs for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act; or (b) in the absence of an applicable Verizon Tariff wholesale discount for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act, the applicable discount stated in Appendix A for Verizon Telecommunications Services purchased for resale pursuant to Section 251(c)(4) of the Act. Notwithstanding the foregoing, in accordance with, and to the extent permitted by Applicable Law, Verizon may establish a wholesale discount for a CSA that differs from the wholesale discount that is generally applicable to Telecommunications Services provided to NEON for resale pursuant to Section 251(c)(4) of the Act.**

**Notwithstanding Sections 0 and 0 of this Attachment, in accordance with, and to the extent permitted by Applicable Law, Verizon may at any time establish a wholesale discount for a Telecommunications Service (including, but not limited to, a CSA) that differs from the wholesale discount that is generally applicable to Telecommunications Services provided to NEON for resale pursuant to Section 251(c)(4) of the Act.**

**The wholesale discount stated in Appendix A shall be automatically superseded by any new wholesale discount when such new wholesale discount is required by any order of the Commission or the FCC, approved by the Commission or the FCC, or otherwise allowed to go into effect by the Commission or the FCC, provided such new wholesale discount is not subject to a stay issued by any court of competent jurisdiction.**

**The wholesale discount provided for in Sections 0 through 0 of this Attachment shall not be applied to:**

**Short term promotions as defined in 47 CFR § 51.613;**

**Except as otherwise provided by Applicable Law, Exchange Access services;**

**Subscriber Line Charges, Federal Line Cost Charges, end user common line Charges, taxes, and government Charges and assessment (including, but not limited to, 9-1-1 Charges and Dual Party Relay Service Charges).**

**Any other service or Charge that the Commission, the FCC, or other governmental entity of appropriate jurisdiction determines is not subject to a wholesale discount under Section 251(c)(4) of the Act.**

**Verizon Telecommunications Services for which Verizon is Not Required to Provide a Wholesale Discount Pursuant to Section 251(c)(4) of the Act.**

**The Charges for a Verizon Telecommunications Service for which Verizon is not required to provide a wholesale discount pursuant to Section 251(c)(4) of the Act shall be the Charges stated in Verizon's Tariffs for such Verizon Telecommunications Service (or, if there are no Verizon Tariff Charges for such Service, Verizon's Charges for the Service that are generally offered by Verizon).**

**The Charges for a Verizon Telecommunications Service customer specific contract service arrangement ("CSA") purchased by NEON pursuant to Section Error! Reference source not found. of the Resale Attachment for which Verizon is not required to provide a wholesale discount pursuant to Section 251(c)(4) of the Act shall be the Charges provided for in the CSA and any other Charges that Verizon could bill the person to whom the CSA was originally provided (including, but not limited to, applicable Verizon Tariff Charges).**

**Other Charges.**

**NEON shall pay, or collect and remit to Verizon, without discount, all Subscriber Line Charges, Federal Line Cost Charges, and end user common line Charges, associated with Verizon Telecommunications Services provided by Verizon to NEON.**

**NEON Prices**

Notwithstanding any other provision of this Agreement, the Charges that NEON bills Verizon for NEON's Services shall not exceed the Charges for Verizon's comparable Services, except to the extent that NEON's cost to provide such NEON's Services to Verizon exceeds the Charges for Verizon's comparable Services and NEON has demonstrated such cost to Verizon, or, at Verizon's request, to the Commission or the FCC.

**Section 271**

If Verizon is a Bell Operating Company (as defined in the Act) and in order to comply with Section 271(c)(2)(B) of the Act provides a Service under this Agreement that Verizon is not required to provide by Section 251 of the Act, Verizon shall have the right to establish Charges for such Service in a manner that differs from the manner in which under Applicable Law (including, but not limited to, Section 252(d) of the Act) Charges must be set for Services provided under Section 251.

**Regulatory Review of Prices**

Notwithstanding any other provision of this Agreement, each Party reserves its respective rights to institute an appropriate proceeding with the FCC, the Commission or other governmental body of appropriate jurisdiction: (a) with regard to the Charges for its Services (including, but not limited to, a proceeding to change the Charges for its services, whether provided for in any of its Tariffs, in Appendix A, or otherwise); and (b) with regard to the Charges of the other Party (including, but not limited to, a proceeding to obtain a reduction in such Charges and a refund of any amounts paid in excess of any Charges that are reduced).

## APPENDIX A TO THE PRICING ATTACHMENT

### I.

#### VERIZON MAINE AND NEON

#### INTERCONNECTION<sup>1</sup>

	Verizon Service	Rate
1.	Rate for Reciprocal Compensation Traffic delivered to a Verizon-IP or to a NEON IP	End office: (Day) = \$0.002084 per minute (Eve) = \$0.001756 per minute (Night) = \$0.001680 per minute  Tandem Office: (Day) = \$0.012621 per minute (Eve) = \$0.005710 per minute (Night) = \$0.002901 per minute  Charged in accordance with Interconnection Attachment.
2.	Access charges for termination of intrastate and interstate Toll Traffic	Per Verizon FCC No. 11 interstate and Maine PUC No. 17 intrastate access tariffs (charged in conjunction with Reciprocal Compensation Traffic, using Traffic Factor 1 and Traffic Factor 2, as appropriate).
3.	Entrance facilities, and transport, as appropriate, for Interconnection at Verizon End Office, Tandem Office, Serving Wire Center, or other Point of Interconnection	Per Verizon FCC No. 11 interstate and Maine PUC 17 intrastate access tariffs for Feature Group D service.

### II. Transit Service

#### a. Tandem Transit Service

Rates: (Day) = \$0.010537 per minute  
(Eve) = \$0.003954 per minute  
(Night) = \$0.001221 per minute

#### b. Dedicated Transit Service

##### Monthly charges

(1) 1.544 Mbps Connection: 2(DS-1 SAC)#  
Maine

Per the rates filed in the  
  
PUC Tariff No. 20 as  
amended from time to  
time.

(2) 45 Mbps Connection: 2(DS-3 SAC)#

Per the rates filed in the  
Maine PUC Tariff No.

<sup>1</sup> All rates and charges specified herein are pertaining to the Interconnection Attachment.

20 as amended from  
time to time.

#Rate = twice the applicable charge for the appropriate Service Access Charge  
("SAC")

<u>Standard Interval</u>	<u>Non-recurring charges</u>
(3) Service Order Charge	\$7.52 (per order)
(4) Service Connection Charge	\$43.39 (per connection)
(5) Service Installation Charge	\$ 9.87 (per connection)
<u>Expedited Interval</u>	<u>Non-recurring charges</u>
(3) Service Order Charge	\$11.15 (per order)
(4) Service Connection Charge	\$60.01 (per connection)
(5) Service Installation Charge	\$13.99 (per connection)

## B. UNBUNDLED NETWORK ELEMENTS<sup>2</sup>

### I. Unbundled Database Access<sup>3</sup>

#### a. 800/888 Database

Reciprocal Compensation: 800 Database (refer to I above)  
(charged to originating Party).

800 Database query: \$0.000973 per query

#### b. LIDB

Access to Signal Systems and Call Related Databases:

<u>Service or Element Description:</u>	<u>Recurring Charges:</u>	<u>Non-Recurring Charges:</u>
LIDB Access	\$0.001254 Per Transaction/Query	Not Applicable
LIDB Record Management		Not Applicable
Record Charge (During Recovery Period)	\$0.032900 Per Record/Month	Not Applicable
Record Charge (After Recovery Period)	\$0.002300 Per Record/Month	Not Applicable
LIDB Database Load Charge		Not Applicable
<= 10,000 Records	\$37.70 Per Hour	Not Applicable
> 10,000 Records	\$155.37 Per Hour	Not Applicable

<sup>2</sup> All rates and charges specified herein are pertaining to the Unbundled Network Element Attachment.

<sup>3</sup> Verizon's proposed UNEs, UNE combinations, and UNE pricing methodology reflect the FCC's current rules. Verizon does not agree that UNE prices must be based solely on forward-looking costs, and Verizon reserves the right to seek to change its UNE offerings and UNE prices if the FCC's rules are vacated or modified by the FCC or by a final, non-appealable judicial decision.

**II. Unbundled Local Loops**  
**(a). Monthly Recurring Charges**

(per month)			
2-Wire Analog Voice Grade	\$11.44	\$13.47	\$18.75
4-Wire Analog Voice Grade	\$25.44	\$29.43	\$38.03
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$21.81	\$25.73	\$37.72
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$11.44	\$13.47	\$18.75
4-Wire DS-1-compatible Digital Grade	\$29.62	\$33.30	\$43.37
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$11.44	\$13.47	\$18.75
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$11.44	\$13.47	\$18.75
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$11.44	\$13.47	\$18.75
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$11.44	\$13.47	\$18.75
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$21.81	\$25.73	\$37.72
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$11.44	\$13.47	\$18.75
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$11.44	\$13.47	\$18.75
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$29.62	\$33.30	\$43.37
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$29.62	\$33.30	\$43.37
2 Wire SDSL compatible ULL	\$11.44	\$13.47	\$18.75
2 Wire SDSL compatible ULL with Bridged Tap removal	\$11.44	\$13.47	\$18.75
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$11.44	\$13.47	\$18.75
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$11.44	\$13.47	\$18.75
56 KD ULL	\$42.67	\$48.49	\$62.82
1.544 Mbps ULL	\$103.31	\$126.21	\$202.97
44.736 Mbps ULL	\$735.79	\$735.79	\$735.79
44.736 Mbps ULL per ¼ mile or fraction thereof	\$10.99	\$10.99	\$10.99

(2) Service Access Charge: ULL type	(per month)
Voice Grade/DS-0	Per the rates filed in the Maine PUC Tariff No. 20 as amended from time to time.
DS-1	Per the rates filed in the Maine PUC Tariff No. 20 as amended from time to time.

**(b) Non-Recurring Charges**

(1) Service Order Charge (per order)						
	Standard Interval			Expedite		
ULL Type	1 ULL	2-9 ULL	10+ ULL	1 ULL	2-9 ULL	10+ ULL
2-Wire Analog Voice Grade	\$0.00	\$3.56	\$4.96	\$0.00	\$5.27	\$7.36
4-Wire Analog Voice Grade	\$0.00	\$3.56	\$4.96	\$0.00	\$5.27	\$7.36
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
4-Wire DS-1-compatible Digital Grade	\$22.55	\$22.55	\$22.55	\$34.84	\$34.84	\$34.84
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$22.55	\$22.55	\$22.55	\$34.84	\$34.84	\$34.84
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$22.55	\$22.55	\$22.55	\$34.84	\$34.84	\$34.84
2 Wire SDSL compatible ULL	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire SDSL compatible ULL with Bridged Tap removal	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$2.13	\$5.69	\$7.09	\$3.16	\$8.43	\$10.51
56 KD ULL	\$22.55	\$22.55	\$22.55	\$33.44	\$33.44	\$33.44
1.544 Mbps ULL	\$22.55	\$22.55	\$22.55	\$33.44	\$33.44	\$33.44
44.736 Mbps ULL	\$8.27	\$8.27	\$8.27	\$12.26	\$12.26	\$12.26

(2) Service Connection Charge: (per loop)		
ULL Type	Service Connection: Standard	Service Connection: CO Wiring
2-Wire Analog Voice Grade	\$16.08	\$6.79



4-Wire Analog Voice Grade	\$16.08	\$6.79
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$16.08	\$6.79
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$16.08	\$6.79
4-Wire DS-1-compatible Digital Grade	\$43.24	\$13.95
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$16.08	\$6.79
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$16.08	\$6.79
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$16.08	\$6.79
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$16.08	\$6.79
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$16.08	\$6.79
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$16.08	\$6.79
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$16.08	\$6.79
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$43.24	\$13.95
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$43.24	\$13.95
2 Wire SDSL compatible ULL	\$16.08	\$6.79
2 Wire SDSL compatible ULL with Bridged Tap removal	\$16.08	\$6.79
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$16.08	\$6.79
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$16.08	\$6.79
56 KD ULL	\$43.24	\$13.95
1.544 Mbps ULL	\$43.24	\$13.95
44.736 Mbps ULL	\$69.45	\$105.43
44.736 Mbps ULL - Expedite	\$79.10	\$149.42

(3) Installation Dispatch (per dispatch)				
Installation Dispatch (per dispatch)				TC Not Ready
ULL Type	1 ULL	2-9 ULL	10+ ULL	(per occasion)
2-Wire Analog Voice Grade	\$25.88	\$28.82	\$31.30	\$27.08
4-Wire Analog Voice Grade	\$25.88	\$28.82	\$31.30	\$27.08
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$25.88	\$28.82	\$31.30	\$27.08

2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$25.88	\$28.82	\$31.30	\$27.08
4-Wire DS-1-compatible Digital Grade	\$31.45	\$31.45	\$31.45	\$27.08
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$25.88	\$28.82	\$31.30	\$27.08
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$25.88	\$28.82	\$31.30	\$27.08
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$31.45	\$31.45	\$31.45	\$27.08
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$31.45	\$31.45	\$31.45	\$27.08
2 Wire SDSL compatible ULL	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire SDSL compatible ULL with Bridged Tap removal	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$25.88	\$28.82	\$31.30	\$27.08
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$25.88	\$28.82	\$31.30	\$27.08
56 KD ULL	\$31.45	\$31.45	\$31.45	\$27.08
1.544 Mbps ULL	\$31.45	\$31.45	\$31.45	\$27.08
44.736 Mbps ULL	\$31.45	\$31.45	\$31.45	\$27.08

(4) Manual Intervention Surcharge (where mechanized interface available but not used)						
Standard Interval	Service Order (per order)			Svc Connection Chg (per ULL)		
ULL Type	1 ULL	2-9 ULL	10+ ULL	1 ULL	2-9 ULL	10+ ULL
2-Wire Analog Voice Grade	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
4-Wire Analog Voice Grade	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
4-Wire DS-1-compatible Digital Grade	\$2.40	\$2.40	\$2.40	\$0.00	\$0.00	\$0.00
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$2.40	\$2.40	\$2.40	\$0.00	\$0.00	\$0.00
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$2.40	\$2.40	\$2.40	\$0.00	\$0.00	\$0.00
2 Wire SDSL compatible ULL	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire SDSL compatible ULL with Bridged Tap removal	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$12.22	\$23.92	\$109.17	\$4.19	\$4.19	\$4.19
56 KD ULL	\$2.40	\$2.40	\$2.40	\$0.00	\$0.00	\$0.00
1.544 Mbps ULL	\$2.40	\$2.40	\$2.40	\$0.00	\$0.00	\$0.00

Expedited Interval -- MANUAL	Service Order (per order)			Svc Connection Chg (per ULL)		
ULL Type	1 ULL	2-9 ULL	10+ ULL	1 ULL	2-9 ULL	10+ ULL
2-Wire Analog Voice Grade	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
4-Wire Analog Voice Grade	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2-Wire ISDN Digital Grade (2 Wire Digital Premium Loops)	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
4-Wire DS -1-compatible Digital Grade	\$3.57	\$3.57	\$3.57	\$0.00	\$0.00	\$0.00
2 Wire ADSL compatible ULL (up to 12,000 feet)	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 18,000 feet)	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removed	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2-Wire HDSL compatible ULL (up to 12,000 feet)	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
4-Wire HDSL compatible ULL (up to 12,000 feet)	\$3.57	\$3.57	\$3.57	\$0.00	\$0.00	\$0.00
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap Removal	\$3.57	\$3.57	\$3.57	\$0.00	\$0.00	\$0.00
2 Wire SDSL compatible ULL	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire SDSL compatible ULL with Bridged Tap removal	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire IDSL compatible ULL (up to 18,000 feet)	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	\$4.19
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	\$18.12	\$35.46	\$161.87	\$4.19	\$4.19	
56 KD ULL	\$3.57	\$3.57	\$3.57	\$0.00	\$0.00	\$0.00
1.544 Mbps ULL	\$3.57	\$3.57	\$3.57	\$0.00	\$0.00	\$0.00

(5) Misdirected Trouble Dispatches (charge per occasion)

- (a) Dispatch IN (to Central Office) \$26.43
- (b) Dispatch OUT (to Customer Premise) \$51.83

**(c) Digital Loops and Digital Designed Loops (Conditioning)**

<b><u>Service or Element Description:</u></b>	<b><u>Recurring Charges:</u></b>	<b><u>Non-Recurring Charges:</u></b>
<b>Standard Digital Loops</b>	All: \$0.62/ Mechanized Loop Qualification/ Loop	All: \$40.40/ Manual Loop Qualification/ Loop
2 Wire ADSL compatible ULL (up to 12,000 )	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
2 Wire ADSL compatible ULL (12,000 up to 18,000 feet)	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
2 Wire HDSL compatible ULL (up to 12,000 feet)	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
4 Wire HDSL compatible ULL (up to 12,000 feet)	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
2 Wire SDSL compatible ULL	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
2 Wire IDSL compatible ULL (up to 18,000 feet)	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
<b>Digital Designed Loops</b>		
2 Wire ADSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire ADSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request

<b><u>Service or Element Description:</u></b>	<b><u>Recurring Charges:</u></b>	<b><u>Non-Recurring Charges:</u></b>
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire Digital Designed Metallic ULL (up to 30,000 Feet) Non-loaded with Bridged Tap options	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$248.14 Required Removal of Load Coils (up to 21,000 feet)
		\$340.81 Expedited Required Removal of Load Coils (up to 21,000 feet)
		\$329.39 Required Removal of Load Coils (up to 27,000 feet)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Expedited Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire Digital Designed Metallic ULL with ISDN Loop Extension Electronics	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$248.14 Required Removal of Load Coils (up to 21,000 feet)

<b><u>Service or Element Description:</u></b>	<b><u>Recurring Charges:</u></b>	<b><u>Non-Recurring Charges:</u></b>
		\$340.81 Expedited Required Removal of Load Coils (up to 21,000 feet)
		\$329.39 Required Removal of Load Coils (up to 27,000 feet)
		\$302.25 Addition of Range Electronics
		\$304.81 Addition of Range Electronics
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
4 Wire HDSL compatible ULL (up to 12,000 feet) with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request

<b><u>Service or Element Description:</u></b>	<b><u>Recurring Charges:</u></b>	<b><u>Non-Recurring Charges:</u></b>
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire SDSL compatible ULL with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query
		\$240.59 Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
2 Wire IDSL compatible ULL (up to 18,000 feet) with Bridged Tap removal	See Sections B.II. (a) and (b)	See Sections B.II. (a) and (b)
		\$77.00 Removal of one Bridged Tap per Request
		\$105.77 Expedited Removal of one Bridged Tap per Request
		\$186.07 Removal of Multiple Bridged Taps per Loop per Request
		\$255.57 Expedited Removal of Multiple Bridged Taps per Loop per Request
		\$52.68 Engineering Query



<b><u>Service or Element Description:</u></b>	<b><u>Recurring Charges:</u></b>	<b><u>Non-Recurring Charges:</u></b>
		\$240.59
		Engineering Work Order Charge
		\$339.66 Expedited Engineering Work Order Charge
Cooperative Testing		\$11.81 Expedited: \$15.67

### III. Unbundled IOF

#### (a) Monthly Recurring Charges

(1) Dedicated Transport:		
Facility (per month)	Interoffice Mileage FIXED	Interoffice Mileage / MILE
DS-1	\$80.35	\$0.39
DS-3	\$615.93	\$10.77
STS-1	\$576.35	\$10.77
OC-3	\$1,132.64	\$32.31
OC-12	\$2,781.86	\$129.23

(2) Service Access Charge: IOF	(per month)
DS-1	Per the rates filed in the Maine PUC Tariff No. 20 as amended from time to time.
DS-3	
OC-3	
OC-12	

(3) Unbundled Multiplexing		
DS-1 to DS-0 (1/0 Mux)	(per mux/per month)	\$288.94
DS-3 to DS-1 (3/1 Mux)	(per mux/per month)	\$159.00

#### (b) Non-Recurring Charges

Standard Interval	DS-1	DS-3	STS-1	OC-3	OC-12
(1) Service Order (per order)	\$8.27	\$8.27	\$8.27	\$8.27	\$8.27
(2) Manual Intervention Surcharge (per order)	\$7.52	\$7.52	\$7.52	\$7.52	\$7.52
(3) Service Connection: Provisioning (per facility)	\$69.45	\$69.45	\$69.45	\$69.45	\$77.95
(4) Service Connection: Installation (per facility)	\$47.67	\$105.43	\$105.43	\$105.43	\$132.24

Expedited Interval	DS-1	DS-3	STS-1	OC-3	OC-12
(1) Service Order (per order)	\$12.26	\$12.26	\$12.26	\$12.26	\$12.26
(2) Manual Intervention Surcharge (per order)	\$11.15	\$11.15	\$11.15	\$11.15	\$11.15
(3) Service Connection: Provisioning (per facility)	\$79.10	\$79.10	\$79.10	\$79.10	\$91.02
(4) Service Connection: CO Wiring (per facility)	\$67.56	\$79.10	\$79.10	\$79.10	\$187.40

#### IV. Unbundled Common Channel Signaling and Call-Related Database Access

Rate Element	UNIT	RATE
TC Switched Service-Optional Features		
<u>SS7 Signaling Modifications</u>		
Re-Home D-Link	Per Pair	\$65.80
A-Link to D-Link Conversion	Per Pair	\$49.35
Change in Hub Providers	Per Pair	\$32.90
NPA/NXX Input Charge	Per 10 Codes	\$8.23
<u>Common Channel Signaling</u>		
STP Port	Port/Month	\$1068.63
Service Access Charge	Port/Month	\$0.60
Signaling Usage Rate	Per Message	\$0.000195
Assumed Usage	Port/month	\$0.200000
Service Order Charge	Per Request	\$22.55
STP Order Processing Charge	Per Request	\$288.67
Installation Charge	Per Pair	\$33.62
<u>STP Translation Charges: A-Links</u>		
Basic ISUP	Per STP Pair	\$49.35
ISUP + TCAP	Per STP Pair	\$65.80
800 DB Queries	Per STP Pair	\$32.90
LIDB Queries	Per STP Pair	\$32.90
Class Features	Per STP Pair	\$32.90
NPA/Nxx Input Charge	Per 10 Codes	\$8.23
Calling Name	Per STP Pair	\$32.90
AIN Queries (Verizon)	Per STP Pair	\$32.90
TC to TC (Telephone Carrier)	Per STP Pair	\$49.35
<u>STP Translation Charges: D-Links</u>		
Basic ISUP	Per STP Pair	\$82.25
ISUP + TCAP	Per STP Pair	\$115.15
800 DB Queries	Per STP Pair	\$32.90
LIDB Queries	Per STP Pair	\$32.90
Class Features	Per STP Pair	\$32.90
NPA/Nxx Input Charge	Per 10 Codes	\$8.23
Calling Name	Per STP Pair	\$32.90
AIN Queries (Verizon)	Per STP Pair	\$49.35
TC to TC (Telephone Carrier)	Per STP Pair	\$49.35
Subsequent STP Translations	TC Orig. Pt.	\$16.45
End Office Translations	TC Orig. Pt.	\$2.80
<u>Testing Set-Up</u>	<u>Per TC Switch &amp; TELCO STP Pair</u>	
MTP: Levels 2 & 3		\$182.87
ISUP		\$182.87
800 DB Queries		\$22.86

Rate Element	UNIT	RATE
LIDB Queries		\$22.86
Class Features		\$22.86
Calling Name		\$22.86
Testing	Per TC Switch & TELCO STP Pair	
MTP: Levels 2 & 3		\$242.98
ISUP		\$364.48
800 DB Queries		\$30.37
LIDB Queries		\$15.19
Class Features		\$15.19
Calling Name		\$15.19

#### Service Management System

Rate Element	UNIT	RATE
<b>Development Charges</b>		
Service Establishment (NRC)		ICB
Service Creation Access Port	Port/month	ICB
Service Creation Usage		
Remote Access	Per day	ICB
On-Premise Access	Per day	ICB
Certification & Testing	Per hour (rounded to 1/4 hr.)	ICB
Help Desk Support	Per hour (rounded to 1/4 hr.)	ICB
AIN ISCP Record Provisioning	Per 15 min.	ICB
<b>Deployment Charges</b>		
AIN ISCP & Record Charge	Per line/month	ICB
AIN ISCP Query & Resp. Message Charge	Per ACU/Query	ICB
Trigger Charge	Per Query	ICB
SS7 & Transport for AIN Message	Per Query	ICB

## V. Unbundled Local Switching

### (a) Monthly Recurring Charges

Dedicated Local Switch Ports	Urban	Suburban	Rural
(per month)			
(1) Local Switching Analog Port	\$0.94	\$0.94	\$0.94
(2) Local Switching Integrated DLC Port (TR-08) per interface group (consisting of 4 DS1 ports)	\$127.43	\$123.96	\$180.60
(3) Local Switching DS1 DID/DOD/PBX Port Per DS1 trunk port	\$88.63	\$93.37	\$103.66
(4) Local Switching ISDN-BRI Port	\$11.48	\$12.78	\$12.78
(5) Local Switching ISDN-PRI Port	\$197.90	\$216.95	\$218.00
(6) Local Switching Digital Trunk Port per DS1	\$167.04	\$162.48	\$176.40
(7) Public Access Line Port	\$0.94	\$0.94	\$0.94
(8) Coin Telephone Port	\$1.24	\$1.24	\$1.24
(9) SMDI II Port - Statewide	\$31.56	\$31.56	\$31.56

Dedicated DS1 End office Trunk Port - Monthly per Port	\$102.05
--	----------

Local Switching Port Additives (Features)	Urban	Suburban	Rural
(per month)			
(1) Centrex Intercom Dialing	\$0.00	\$0.00	\$0.00
(2) Custom Ringing	\$0.00	\$0.00	\$0.00
(3) Three-Way Calling	\$0.00	\$0.00	\$0.00
(4) Speed Dialing	\$0.00	\$0.00	\$0.00
(5) Call Waiting	\$0.00	\$0.00	\$0.00
(6) Call Forwarding – Don't Answer	\$0.00	\$0.00	\$0.00
(7) Call Forwarding – Busy	\$0.00	\$0.00	\$0.00
(8) Call Forwarding – Variable	\$0.00	\$0.00	\$0.00
(9) Remote Call Forwarding	\$0.00	\$0.00	\$0.00

Local Switching Usage	Statewide
(1) Unbundled Shared Trunk Port (per MOU)	Day \$0.000404
	(Eve)\$0.000076
	(Night)\$0.000000
(2) Unbundled Local Switching (all hours of day) (per MOU)	\$0.0016800
(3) Unbundled Telephone Company Reciprocal Compensation Charge (UNRCC) (per MOU)	(Day) \$0.002084
	(Eve) \$.001756
	(Night) \$0.001680
(4) Unbundled TC Reciprocal Compensation (UCRCC)	(Day) \$0.002084
	(Eve) \$0.001756
	(Night) \$0.001680
(5)CLEC Reciprocal Comp - Meet Point B Tandem	(Day) \$0.012621
	(Eve). \$0.005710
	(Night) \$0.002901

Shared Interoffice Trunking and Tandem Resources		
(per minute of use)		
Unbundled Shared Tandem Transport Charge (UTTC)	(Day)	\$0.001094
	(Eve)	\$0.000322
	(Night)	\$0.000000
Unbundled Local Common Transport Charge (ULCTC)	(Day)	\$0.001498
	(Eve)	\$0.000398
	(Night)	\$0.000000
Unbundled Toll Common Transport Charge (UTCTC)	(Day)	\$0.003605
	(Eve)	\$0.001189
	(Night)	\$0.000244

Unbundled Tandem Transit Switching Charge (TTSC)	(Day) \$0.009443 (Eve) \$0.003632 (Night) \$0.01221
--	--

Service Access Charge: Switching	(per month)
Voice Grade/DS -0	Per the rates filed in the Maine PUC Tariff No. 20 as amended from time to time.
DS-1	
DS-3	

**(b) Non-Recurring Charges**

End Office Trunk Ports	Standard Interval	Expedited Interval
(1) Service Order (per order)	\$0.00	\$0.00
(2) Manual Intervention Surcharge (per order)	\$7.52	\$11.15
Service Connection - Provisioning (per port)	\$49.74	\$65.94
(4) Installation -CO wiring (per port)	\$5.25	\$7.44

SMDI II Ports	Standard Interval
Service Connection-Other	\$69.45
Service Connection-CO wiring	\$35.93

End Office Line Ports	Standard Interval
(1) Service Order (per order)	\$5.21
(2) Manual Intervention Surcharge (per order)	\$7.52
(3) Service Connection - Other (per port) (BRI and Analog Ports)	\$5.21
(4) Service Connection-Other(per port) (for DS 1 DID/DOD/PBX Port, PRI)	\$49.74
(5) Installation (CO wiring) (per port) (BRI and Analog Ports),	\$3.45
(6) Installation (CO wiring) (per port) (DS1 DID/DOD/PBX Port, PRI)	\$5.25
(7) Integrated DLC ports are priced on an Individual Case Basis	ICB

# Integrated DLC ports are priced on an Individual Case Basis

Switching Feature Activation	Standard Interval
(1) Call Forwarding – Busy	\$0.33
(2) Call Forwarding – Don't Answer	\$0.33
(3) Call Forwarding – Variable	\$0.33
(4) Call Waiting	\$0.33
(5) Centrex Intercom Dialing	\$0.33
(6) Custom Ringing	\$0.33
(7) Speed Calling	\$0.33
(8) Three Way Calling	\$0.33
(9) Subsequent addition/change	\$0.33

Miscellaneous Switching Charges	Standard Interval
(1) Network Design Request (per hour)	\$0.00
(2) Line Port Traffic Study Set-Up (per study)	\$22.89
(3) Line Port Traffic Study (per week)	\$15.61
(4) Channel activation - subsequent	\$5.21
(5) TC not ready	\$27.08

## VI. Unbundled Tandem Switching

### (a) Monthly Recurring Charges

Dedicated Tandem Switch/TOPS Ports	Statewide
(per month)	
(1) Tandem Switching/TOPS Dedicated Trunk Port	\$290.32

Tandem Switching Usage	Day
(per minute of use)	
(1) Tandem Trunk Port (Day)	\$0.004111
(2) Tandem Trunk Port (Eve)	\$0.001205
(3) Tandem Trunk Port (Night)	\$0.000000
(4) Tandem Usage (All hours of the Day)	\$0.001221

### (b) Non-Recurring Charges

Tandem Office Trunk Ports	Standard Interval	Expedited Interval
(1) Service Order (per port)	\$0	\$0
(2) Manual Intervention Surcharge (per port)	\$7.52	\$11.15
(3) Service Connection - Provisioning (per order)	\$56.89	\$75.02
(4) Service Connection -CO wiring (per port)	\$5.25	\$7.44
TOPS Trunk Ports	Standard Interval	Expedited Interval
(1) Service Order (per port)	\$0	\$0
(2) Manual Intervention Surcharge (per port)	\$7.52	\$11.15
(3) Service Connection - Provisioning (per order)	\$69.45	\$69.45
(4) Service Connection -CO wiring (per port)	\$5.25	\$7.44

## VII. Intrastate Collocation

The rates for Intrastate Collocation are based upon the rates set forth in Maine PUC Tariff No. 20, as amended from time to time.



### VIII. Line Sharing

Rate Element	\$ Amount	Mo.	NRC	* Option A <sup>4</sup>	* Option C VERIZON installs	* Option C CLEC vendor installs
Application Fee - Augment	\$1500		X	Not applicable unless adding line- sharing terminations	(1)	(1)
Engineering & Implementation Fee -Additional Cabling	\$2323.41		X	Not applicable unless adding line- sharing terminations	(1)	(1)
Splitter Installation Cost	\$1215.00		X	Not applicable	(1)	
POT VERIZON/Splitter Termination, 2 Wire VG	\$0.07	X		(2) SAC <sup>5</sup> s	(2) SACs	(2) SACs

\*Both Option A and Option C assume there is an existing Collocation Arrangement.

(1) = one required

(2) = two required

<sup>4</sup> Option A: A CLEC-provided splitter shall be provided, installed and maintained by the CLEC in their own Collocation space. Rearrangements are the responsibility of the CLEC. Verizon dial tone is routed through the splitter in the CLEC Collocation area.

Option C: Verizon will install, inventory and maintain CLEC provided splitter in Verizon space within the Serving Central Office of the lines being provided. Verizon will have control of the splitter and will direct any required activity.

<sup>5</sup> Service Access Charge (SAC) is the same as Interconnection Access Charge or a cross connect.

<b>Rate Element</b>	<b>\$ Amount</b>	<b>Mo.</b>	<b>NRC</b>	<b>* Option A</b>	<b>Option C VERIZON installs</b>	<b>* Option C CLEC vendor installs</b>
SAC Cable & Frame Termination, 2Wire VG	\$0.17	X		(2) SACs	(2) SACs	(2) SACs
**Verizon/Splitter Support– Per Shelf	\$0.00	X			(1)	(1)
Maintenance of Splitter Equipment per splitter	\$19.25/ Option A \$20.00/Option C	X		(1)	(1)	(1)
WideBand Test Access per line	\$1.62	X		(1)	(1)	(1)

\*\* Although this rate assumes that each relay rack contains 14 splitter shelves, the rate applies only to the shelves that CLEC actually uses in a given relay rack.

Rate Element	\$ Amount	Mo.	NRC	* Option A	Option C VERIZON installs	* Option C CLEC vendor installs
Service Order 1 Link & 2-9 Links Expedited	\$7.52/Order \$11.15/Order \$12.48		X	(1)	(1)	(1)
10+ Links Expedited	\$18.50					
Central Office Wiring Initial	\$41.53		X	(1)	(1)	(1)
Central Office Wiring Additional	\$20.66		X	(1)	(1)	(1)
Provisioning	\$0.27		X	(1)	(1)	(1)
Field Installation Dispatch	\$121.35		X	(1)	(1)	(1)
Manual Intervention Surcharge			X	(1)	(1)	(1)
1 Link Expedited	\$7.37/Order \$10.92/Order					
2-9 Links Expedited	\$21.65/Order \$32.11/Order					
10+ Links Expedited	\$119.08/Order \$176.58/Order					
TC Not Ready	\$27.08		X	(1)	(1)	(1)
Loop Qualification Data Base per link	\$0.62	X		(1)	(1)	(1)
Manual Loop Qualification	\$40.40		X	(1)	(1)	(1)
Engineering Query	\$52.68		X	(1)	(1)	(1)
Engineering Work Order	\$240.59		X	(1)	(1)	(1)
OSS Charges	\$0.00					
Unbundled Loop	\$0.00	X				
Conditioning charges	Per interim state specific conditioning rates		X			
Trouble Dispatch Misdirects Dispatch In	\$26.43		X	(1)	(1)	(1)
Dispatch Out	\$51.83		X			

## IX. Line Splitting

Per Section IX above (Line Sharing) and Section XI. below (UNE-P).

## X. UNE Remand Items

### (a) Recurring Charges

Service or Element Description:	Recurring Charges
Stand-alone NID – 2 Wire - NID-to-NID	\$0.91
Stand-alone NID – 4 Wire - NID-to-NID	\$1.11
Stand-alone NID – DS1 (with smart jack)	\$6.63
NID – 2 Wire per NID/month	\$0.72
NID – 4 Wire per NID/month	\$0.86
NID - Shared NID (multiple loops in a single NID)	\$6.63
TC not ready - per occasion	\$27.08
Time: first 30 minutes	\$38.26
Subsequent 30 minutes (period or part)	\$9.59

Service or Element Description:	Recurring Charges
SWITCH/PLATFORM	
Centrex Platform Features	
CTX Intercom	\$2.5758
CTX Announcement	\$2.0774
3-Way Conference (CTX)	\$0.3419
Automatic Callback	\$0.7965
Distinctive Ring	\$0.0365
Loudspeaker Paging	\$13.0290
Meet-Me Conference (DMS only)	\$1.0132
Selective Call Acceptance	\$0.0893
Selective Call Forwarding	\$0.0248
Selective Call Rejection	\$0.3015
Six Way Conference	\$1.9619
Music - on - Hold	TBD
Station Message Detail Record to Premise- CTX (DMS only)	\$52.0557

<b>UNE-P Combinations</b>	
All monthly rates and usage charges associated with the individual network elements included in the UNE-P arrangements apply in accordance with rate regulations established for those elements.	

Service or Element Description:	Recurring Charges		
<b>EEL Combinations</b> The recurring rate for EEL Combinations are equal to the recurring and nonrecurring rates for the individual unbundled loops, unbundled dedicated transport, and multiplexing that comprise the EEL arrangement. In addition, a monthly recurring EEL Test Charge applies per EEL loop. Also, EEL VG/DS0 transport charges, if applicable, apply on a monthly recurring basis and are listed below.			
<b>EEL Test Charges</b>	<b>Urban</b>	<b>Suburban</b>	<b>Rural</b>
2 Wire Analog Loop (Basic Link)	\$0.12	\$0.14	\$0.19
2 Wire Digital Loop (ISDN Capable Link)	\$0.28	\$0.27	\$0.39
4 Wire Analog Loop (Basic Link)	\$0.35	\$0.38	\$0.41
4 Wire Digital (56 KD)	\$0.48	\$0.53	\$0.57
DS1 (1.5 Mbps) Digital Loop (High Capacity Link)	\$6.19	\$6.25	\$6.15
DS3 (45 Mbps)	\$5.52	\$5.52	\$5.52

Service or Element Description:	Recurring Charges
EEL Voice Grade//DS0	Monthly - Fixed - Per VG/DS0 channel \$4.98
Inter-Office Mileage	Monthly - Per mile - Per VG/DS0 channel \$0.005850

Service or Element Description:	Recurring Charges
Sub-Loops at FDI	
2-wire Sub-Loop	
Urban	\$7.01
Suburban	\$8.53
Rural	\$8.60
4-wire Sub-Loop	
Urban	\$11.49
Suburban(expedite)	\$14.18
Rural	\$14.19
Sub-Loops at Pole, Pedestal, X-box, CEV	ICB
Sub-Loops at RT (e.g.DSLAM)	ICB
Campus Wire- Continuous Property	ICB
House and Riser	
Building Access- per pair	\$0.47
Floor Access- per floor risen, per pair	\$0.01
Loops	
Dark Fiber Loop- per ¼ Mile (per pair)	\$13.78
Loop Fixed Charge per pair	\$4.15
Serving Wire Center Charge/SWC/pair	\$12.58
Dark Fiber IOF	
Dark Fiber – IOF Mileage per pair per mile	\$41.61
Serving Wire Center Charge/SWC/pair	\$12.58
IOF Channel Termination	
Per 1/4 Mile (per pair)	\$10.40

IOF Channel Termination Fixed Charge	\$9.64
<b>Dark Fiber Sub-Loop</b>	TBD

**(b) Non-Recurring Charges**

Service or Element Description:	New Service
LOOPS	
<b>DS3 Loops</b>	
Service Order	\$8.27
Service Order – Expedite	\$12.26
Manual Intervention Surcharge	\$0.00
Manual Intervention Surcharge- Expedite	\$0.00
Service Connection -Other	\$69.45
Service Connection -Other- Expedite	\$79.10
Service Connection – CO Wiring	\$105.43
Service Connection- CO Wiring- Expedite	\$79.10
Installation Dispatch Out	\$31.45
Installation Dispatch Out- Expedite	\$31.45
<b>4-Wire 56 kbps Loop</b>	
Service Order	\$22.55
Service Order – Expedite	\$33.44
Manual Intervention Surcharge	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57
Service Connection -Other	\$43.24
Service Connection -Other- Expedite	\$43.24
Service Connection – CO Wiring	\$13.95
Service Connection- CO Wiring- Expedite	\$13.95
Installation Dispatch Out	\$31.45
Installation Dispatch Out- Expedite	\$31.45
Stand-alone NID – 2 Wire	\$0.72
Stand-alone NID – 4 Wire	\$0.86
Shared NID	TBD
Stand-alone NID – DS1	\$6.63
Service Order	\$0.00
Service Order – Expedite	\$0.00
Manual Intervention Surcharge	\$7.37
Manual Intervention Surcharge- Expedite	\$10.92
Installation Dispatch Out	\$51.13
Installation Dispatch Out- Expedite	\$67.71

Service or Element Description:	New Service	Migration
<b>SWITCH/PLATFORM</b>		
<b>UNE Centrex platform</b>		
Single Link		
Service Order	\$0.00	\$0.00
Service Order – Expedite	\$0.00	\$0.00
Manual Intervention Surcharge	\$7.37	\$14.13
Manual Intervention Surcharge- Expedite	\$10.92	\$20.96
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	N/A
Service Connection- CO Wiring- Expedite	\$3.45	N/A
Installation Dispatch Out	\$25.88	N/A
Installation Dispatch Out- Expedite	\$25.88	N/A
2 to 9 links		
Service Order	\$0.00	\$4.96
Service Order – Expedite	\$0.00	\$7.36
Manual Intervention Surcharge	\$21.65	\$24.81
Manual Intervention Surcharge- Expedite	\$32.11	\$36.79
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	N/A
Service Connection- CO Wiring- Expedite	\$3.45	N/A
Installation Dispatch Out	\$28.82	N/A
Installation Dispatch Out- Expedite	\$28.82	N/A
10+ Links		
Service Order	\$4.96	\$4.96
Service Order – Expedite	\$7.36	\$7.36
Manual Intervention Surcharge	\$119.08	\$105.25
Manual Intervention Surcharge- Expedite	\$176.58	\$156.07
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	N/A
Service Connection- CO Wiring- Expedite	\$3.45	N/A
Installation Dispatch Out	\$31.30	N/A
Installation Dispatch Out- Expedite	\$31.30	N/A

<b>UNE ISDN Centrex Platform</b>	<b>New Service</b>	<b>Migration</b>
Single Link		
Service Order	\$7.52	\$0.00
Service Order – Expedite	\$11.15	\$0.00
Manual Intervention Surcharge	\$7.37	\$14.13
Manual Intervention Surcharge- Expedite	\$10.92	\$20.96
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$25.88	NA
Installation Dispatch Out- Expedite	\$25.88	NA
2 to 9 Links		
Service Order	\$7.52	\$4.96
Service Order – Expedite	\$11.15	\$7.36
Manual Intervention Surcharge	\$21.65	\$24.81
Manual Intervention Surcharge- Expedite	\$32.11	\$36.79
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$28.82	NA
Installation Dispatch Out- Expedite	\$28.82	NA
10+ Links		
Service Order	\$12.48	\$4.96
Service Order – Expedite	\$18.50	\$7.36
Manual Intervention Surcharge	\$119.08	\$105.25
Manual Intervention Surcharge- Expedite	\$176.58	\$156.07
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$31.30	NA
Installation Dispatch Out- Expedite	\$31.30	NA
<b>UNE ISDN-PRI Platform</b>	<b>New Service</b>	<b>Migration</b>
Service Order	\$22.55	\$22.55
Service Order – Expedite	\$33.44	\$33.44
Manual Intervention Surcharge	\$2.40	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57	\$3.57
Service Connection –Other	\$82.64	\$26.79
Service Connection -Other- Expedite	\$98.84	\$34.43
Service Connection – CO Wiring	\$5.25	NA
Service Connection- CO Wiring- Expedite	\$7.44	NA
Installation Dispatch Out	\$31.45	NA
Installation Dispatch Out- Expedite	\$31.45	NA



<b>UNE DS1 DID / DOD / PBX Service Platform</b>	<b>New Service</b>	<b>Migration</b>
Service Order	\$22.55	\$22.55
Service Order – Expedite	\$33.44	\$33.44
Manual Intervention Surcharge	\$2.40	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57	\$3.57
Service Connection –Other	\$82.64	\$26.79
Service Connection -Other- Expedite	\$98.84	\$34.43
Service Connection – CO Wiring	\$5.25	NA
Service Connection- CO Wiring- Expedite	\$7.44	NA
Installation Dispatch Out	\$31.45	NA
Installation Dispatch Out- Expedite	\$31.45	NA
<b>UNE Coin/PAL Platform Service</b>	<b>New Service</b>	<b>Migration</b>
Single Link		
Service Order	\$0.00	\$0.00
Service Order – Expedite	\$0.00	\$0.00
Manual Intervention Surcharge	\$7.37	\$14.13
Manual Intervention Surcharge- Expedite	\$10.92	\$20.96
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$25.88	NA
Installation Dispatch Out- Expedite	\$25.88	NA
2 to 9 Links		
Service Order	\$0.00	\$4.96
Service Order – Expedite	\$0.00	\$7.36
Manual Intervention Surcharge	\$21.65	\$24.81
Manual Intervention Surcharge- Expedite	\$32.11	\$36.79
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$28.82	NA
Installation Dispatch Out- Expedite	\$28.82	NA
10+ Links		
Service Order	\$4.96	\$4.96
Service Order – Expedite	\$7.36	\$7.36
Manual Intervention Surcharge	\$119.08	\$105.25
Manual Intervention Surcharge- Expedite	\$176.58	\$156.07
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$31.30	NA
Installation Dispatch Out- Expedite	\$31.30	NA

<b>UNE POTS Platform</b>	<b>New Service</b>	<b>Migration</b>
Single Link		
Service Order	\$0.00	\$0.00
Service Order – Expedite	\$0.00	\$0.00
Manual Intervention Surcharge	\$7.37	\$14.13
Manual Intervention Surcharge- Expedite	\$10.92	\$20.96
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$25.88	NA
Installation Dispatch Out- Expedite	\$25.88	NA
2 to 9 Links		
Service Order	\$0.00	\$4.96
Service Order – Expedite	\$0.00	\$7.36
Manual Intervention Surcharge	\$21.65	\$24.81
Manual Intervention Surcharge- Expedite	\$32.11	\$36.79
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$28.82	NA
Installation Dispatch Out- Expedite	\$28.82	NA
10+ Links		
Service Order	\$4.96	\$4.96
Service Order – Expedite	\$7.36	\$7.36
Manual Intervention Surcharge	\$119.08	\$105.25
Manual Intervention Surcharge- Expedite	\$176.58	\$156.07
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$31.30	NA
Installation Dispatch Out- Expedite	\$31.30	NA

<b>UNE ISDN BRI Platform</b>	<b>New Service</b>	<b>Migration</b>
Single Link		
Service Order	\$7.52	\$0.00
Service Order – Expedite	\$11.15	\$0.00
Manual Intervention Surcharge	\$7.37	\$14.13
Manual Intervention Surcharge- Expedite	\$10.92	\$20.96
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$25.88	NA
Installation Dispatch Out- Expedite	\$25.88	NA
2 to 9 Links		
Service Order	\$7.52	\$4.96
Service Order – Expedite	\$11.15	\$7.36
Manual Intervention Surcharge	\$21.65	\$24.81
Manual Intervention Surcharge- Expedite	\$32.11	\$36.79
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$28.82	NA
Installation Dispatch Out- Expedite	\$28.82	NA
10+ Links		
Service Order	\$12.48	\$4.96
Service Order – Expedite	\$18.50	\$7.36
Manual Intervention Surcharge	\$119.08	\$105.25
Manual Intervention Surcharge- Expedite	\$176.58	\$156.07
Service Connection –Other	\$0.89	\$0.75
Service Connection -Other- Expedite	\$0.89	\$0.75
Service Connection – CO Wiring	\$3.45	NA
Service Connection- CO Wiring- Expedite	\$3.45	NA
Installation Dispatch Out	\$31.30	NA
Installation Dispatch Out- Expedite	\$31.30	NA

<b>UNE Foreign Exchange (FX)- Platform – POTS</b>	<b>New Service</b>	<b>Migration</b>
Single Link		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA
2 to 9 Links		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA
10+ Links		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA

<b>UNE Foreign Exchange (FX) Platform- ISDN-BRI</b>		
Single Link		
Service Order	TBD	TBD\$0.00
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA
2 to 9 Links		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA
10+ Links		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA

<b>UNE Foreign Exchange (FX) Platform- ISDN-PRI</b>		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA
<b>UNE Foreign Exchange (FX) Platform- DS1 DID / DOD / PBX</b>		
Service Order	TBD	TBD
Service Order – Expedite	TBD	TBD
Manual Intervention Surcharge	TBD	TBD
Manual Intervention Surcharge- Expedite	TBD	TBD
Service Connection –Other	TBD	TBD
Service Connection -Other- Expedite	TBD	TBD
Service Connection – CO Wiring	TBD	NA
Service Connection- CO Wiring- Expedite	TBD	NA
Installation Dispatch Out	TBD	NA
Installation Dispatch Out- Expedite	TBD	NA

Service or Element Description:	New Service
<b>Sub-Loops at FDI</b>	
<b>UNE Sub-Loop Arrangement (USLA) 2 Wire -New</b>	
<b>Initial</b>	
Service Order	\$7.52
Service Order – Expedite	\$11.15
Manual Intervention Surcharge	\$7.37
Manual Intervention Surcharge- Expedite	\$10.92
Service Connection –Other	\$0.56
Service Connection -Other- Expedite	\$0.56
Installation Dispatch Out	\$41.90
Installation Dispatch Out- Expedite	\$55.48
<b>Additional</b>	
Service Order	\$7.52
Service Order – Expedite	\$11.15
Manual Intervention Surcharge	\$7.37
Manual Intervention Surcharge- Expedite	\$10.92
Service Connection –Other	\$0.56
Service Connection -Other- Expedite	\$0.56
Installation Dispatch Out	\$16.39
Installation Dispatch Out- Expedite	\$21.71

<b>Sub-Loop 2 Wire Loop Through – UNE Sub-Loop Arrangement (USLA)- (Migration)</b>	
<b>Initial</b>	
Service Order	\$7.52
Service Order – Expedite	\$11.15
Manual Intervention Surcharge	\$7.37
Manual Intervention Surcharge- Expedite	\$10.92
Service Connection –Other	\$17.37
Service Connection -Other- Expedite	\$17.37
Installation Dispatch Out	\$47.72
Installation Dispatch Out- Expedite	\$63.20
<b>Additional</b>	
Service Order	\$7.52
Service Order – Expedite	\$11.15
Manual Intervention Surcharge	\$7.37
Manual Intervention Surcharge- Expedite	\$10.92
Service Connection –Other	\$17.37
Service Connection -Other- Expedite	\$17.37
Installation Dispatch Out	\$22.11
Installation Dispatch Out- Expedite	\$29.28
<b>UNE Sub-Loop Arrangement (USLA) 4 Wire – New</b>	
<b>Initial</b>	
Service Order	\$22.55
Service Order – Expedite	\$33.44
Manual Intervention Surcharge	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57
Service Connection –Other	\$0.56
Service Connection -Other- Expedite	\$0.56
Installation Dispatch Out	\$52.67
Installation Dispatch Out- Expedite	\$69.76
<b>Additional</b>	
Service Order	\$22.55
Service Order – Expedite	\$33.44
Manual Intervention Surcharge	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57
Service Connection –Other	\$0.56
Service Connection -Other- Expedite	\$0.56
Installation Dispatch Out	\$28.88
Installation Dispatch Out- Expedite	\$38.24

<b>Sub-Loop 4 Wire Loop Through – UNE Sub-Loop Arrangement (USLA)- (Migration)</b>	
<b>Initial</b>	
Service Order	\$22.55
Service Order – Expedite	\$33.44
Manual Intervention Surcharge	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57
Service Connection –Other	\$17.37
Service Connection –Other- Expedite	\$17.37
Installation Dispatch Out	\$53.41
Installation Dispatch Out- Expedite	\$70.74
<b>Additional</b>	
Service Order	\$22.55
Service Order – Expedite	\$33.44
Manual Intervention Surcharge	\$2.40
Manual Intervention Surcharge- Expedite	\$3.57
Service Connection –Other	\$17.37
Service Connection –Other- Expedite	\$17.37
Installation Dispatch Out	\$26.58
Installation Dispatch Out- Expedite	\$35.20
Sub-Loops at Pole, Pedestal, X-box, CEV	ICB
Sub-Loops at Pole, Pedestal, X-box, CEV	ICB
Sub-Loops at RT (e.g.DSLAM)	ICB
Sub-Loops at NID (NIDless loops)	ICB
Campus Wire- Continuous Property	ICB
House and Riser	
Building Setup Service Cost Per 50 pair	\$39.20
House and Riser Cable Service Installation Charge, Per occasion	Time & Material
Building Access- per pair	\$0.47
Floor Access- per floor risen, per pair	\$0.01
Time <sup>6</sup> :	\$38.26
First 30 minutes	
Subsequent 15 minutes	\$9.59
Period or fraction thereof	
TC not ready (per occasion)	\$27.08

<sup>6</sup> A dispatch of a technician during hours not sequential to that technician's normal scheduled tour of duty has a four-hour minimum charge.



<b>Dark Fiber IOF</b>	New Service
Service Order Charge	
Service Order	\$21.49
Service Order – Expedite	\$31.64
Service Connection Charge	
Service Connection CO Wiring	\$14.01
Service Connection CO Wiring –Expedite	\$19.75
Service Connection- Other	\$73.55
Service Connection- Other- Expedited	\$94.11
Installation Dispatch Charge	\$50.05
Installation Dispatch Charge- Expedited	\$66.28
Record Review- per record	\$102.76
<b>Dark Fiber Loop</b>	
Service Order Charge	
Service Order	\$21.49
Service Order – Expedite	\$31.64
Service Connection Charge	
Service Connection Charge -CO Wiring	\$12.67
Service Connection CO Wiring –Expedite	\$17.85
Service Connection Other	\$68.51
Service Connection- Other Charge- Expedited	\$94.99
Installation Dispatch Charge	\$50.05
Installation Dispatch Charge- Expedited	\$66.28
Record Review- per record	\$102.76
Time & materials	
Network Transport Engineering-Planning per hour	\$51.21
Network Transport Engineering- Planning- per hour- Expedited	\$69.35
Network Transport Engineering- Design per hour	\$51.21
Network Transport Engineering- Design per hour- Expedite	\$69.35
OSP Operations per hour	\$48.78
OSP Operations per hour- Expedite	\$65.75
CO Frame per hour	\$39.48
CO Frame per hour– Expedite	\$55.95
<b>DARK FIBER SUB-LOOP</b>	TBD
<b>TOPIC Interconnection</b> - application fee - per request	\$2,500

	Urban	Suburban	Rural
<b>SUB-LOOP FEEDER</b>	\$7.01	\$8.53	\$8.60
Sub-Loop Feeder - 2W			
Sub-Loop Feeder - 4W	\$11.49	\$14.18	\$14.19

## **C. RESALE<sup>7</sup>**

### **I. Wholesale Discounts**

Monthly discounts (per qualifying retail rate):

#### **A. Where NEON purchases Verizon-provided Operator Services**

- |     |           |        |
|-----|-----------|--------|
| (1) | Business  | 23.76% |
| (2) | Residence | 19.80% |

#### **B. Where NEON does not purchase Verizon Operator Services**

- |     |           |        |
|-----|-----------|--------|
| (1) | Business  | 25.74% |
| (2) | Residence | 23.03% |

### **D. CUSTOMER USAGE DETAIL CHARGES**

#### **Record Charges**

- |  |        |
|--|--------|
| • Per record processed (EMR format)                        | \$0.00 |
| • Per record processed (Tandem Subtending Arrangement/EMR) | \$0.00 |
| • Per record transmitted                                   | \$0.00 |
| • Per tape/cartridge                                       | \$0.00 |

### **E. TIME AND MATERIAL CHARGES**

#### **Labor Rate, Per Hour or Fraction thereof**

- |                                      |         |
|--------------------------------------|---------|
| • Service Representative - Regular   | \$15.04 |
| • Service Representative - Expedited | \$22.30 |
| • Technician - Regular               | \$15.49 |
| • Technician - Expedited             | \$20.59 |

### **F. 911/E911 INTERCONNECTION**

Monthly Rate:

A. \$252.00 per month for an unequipped DS1 Port and \$100 per month per voice grade trunk activated and equipped on the DS1 port.

B. \$0.05 per line per month for unbundled local Switching Element.

---

<sup>7</sup> All rates and charges specified herein are pertaining to the Resale Attachment.

In compliance with the FCC Order approving the Merger of GTE Corporation and Bell Atlantic (CC Docket No. 98-1840), Verizon will offer limited duration promotional discounts on resold residential exchange access lines. The terms and conditions on which these promotional discounts are being made available can be found on Verizon's web site, at <http://www.verizon.com/wise> for former GTE service areas and former Bell Atlantic service areas.